



HEADSETS

BOTTOM BRACKETS

EXPANDER & TENSION ADJUSTER

ACCESSORIES

BEARINGS

Precision

Quality

Innovation

Service

GO GREEN

www.prestine.com.tw

YANTEC INDUSTRIES INC.

Innovation
Growth
Sustainable



HEADSETS




- 01** CABLE INTERGRATION SYSTEM HEADSET
- 34** HEAVY DUTY HEADSETS
- 37** ANGLE LIMITED HEADSETS

BOTTOM BRACKETS

- 043** ECCENTRIC BB
- 044** DUB BB SYSTEM FOR 29 SPINDEL
- 053** T47BB M47 x P1.0 THREADED
- 055** PF30A24 / BB30A24 / BSABB30 / BB8630
- 064** BB386 / BB386 ADAPTER
- 072** PF30 / PF30 ADAPTER
- 078** BB30 ADAPTER
- 082** BB86 / BB92
- 086** EXTERNAL BB
- 092** SQUARE COTTERLESS BB

ACCESSORIES



- 095** EXPANDERS
- 099** TENSION ADJUSTER
- 100** SPACER
- 100** BEARINGS
- 102** MICRO SPACERS

CABLE INTERGRATION SYSTEM HEADSET

PAGE	ITEM NUMBER	S.H.I.S	UPPER		LOWER		TOP DEPTH	BOTTOM	STACK HEIGHT
			BEARING NO.	BEARING TYPE	BEARING NO.	BEARING TYPE			
1	PT-F27NC	ZS56/28.6 ZS56/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	12	3	15
3	PT-1868AW	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	7.6	1	8.6
4	PT-1869AW	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	7.7	1	8.7
5	PT-F13AW	ZS56/28.6 ZS56/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	9.7	3	12.7
10	PT-1863KW	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	14.8	1	15.8
11	PT-1864KW	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	14.8	1	15.8
12	PT-F13KW	ZS56/28.6 ZS56/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	17	3	20
13	PT-F16KW	ZS56/28.6 ZS56/40	R206	semi-cartridge bearings	R206	semi-cartridge bearings	17	3.2	20.2
14	PT-F18KW	ZS56/28.6 ZS66/45.8	R457B	Sealed AC bearing	R458B	Sealed AC bearing	17.1	3.5	20.6
15	PT-1869KW	IS60/28.6 IS60/45.8	R458B	Sealed AC bearing	R458B	Sealed AC bearing	15.1	1	16.1
16	PT-F19KW	ZS60/28.6 ZS60/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	16.8	3	19.8
17	PT-1863CW	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	13.5	1	14.5
18	PT-1864CW	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	13.5	1	14.5
19	PT-F13CW	ZS56/28.6 ZS56/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	13	3	16
20	PT-1863GW	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	14.8	1	15.8
21	PT-1864GW	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	14.8	1	15.8
22	PT-F13GW	ZS56/28.6 ZS56/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	17	3	20
23	PT-1866A-078	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	9.7	1	10.7
24	PT-1866B-078	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	9.7	1	10.7
25	PT-1866C-078	ZS56/28.6 ZS56/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	13.9	3	16.9
26	PT-1866E-078	EC44/28.6 EC44/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	22.3	13.6	35.3
27	PT-1866EC-078	ZS56/28.6 ZS56/40	R206	Ball retainer	R206	Ball retainer	13.9	3.2	17.1
28	PT-1866F-078	ZS56/28.6 ZS66/45.8	R457B	Sealed AC bearing	R458B	Sealed AC bearing	13.9	3.5	17.4
29	PT-1865	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	9.8	1	10.8
30	PT-1866	IS52/28.6 IS52/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	9.8	1	10.8
31	PT-F13KF	ZS56/28.6 ZS56/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	11.7	3	14.7
32	PT-68/H2502/ PT-1709EA/PT-1726EA"	-	-	-	-	-	-	-	-
33	PT-1863D	IS52/28.6 IS52/40	R425	Sealed AC bearing	R425	Sealed AC bearing	10.8	1	11.8

HEAVY DUTY HEADSETS

34	PT-F16A	ZS56/28.6 ZS56/40	R413	Sealed AC bearing	R413	Sealed AC bearing	11.9	2.8	14.7
35	PT-F16C	ZS56/28.6 ZS56/40	R206	semi-cartridge bearings	R206	semi-cartridge bearings	11.7	3.2	14.9
36	PT-F16D	ZS56/28.6 ZS56/40	R206	Ball retainer	R206	Ball retainer	11.7	3	14.7

ANGLE LIMITED HEADSETS

37	PT-1808AB	ZS44/28.6 ZS56/40	R408	Sealed AC bearing	R457B	Sealed AC bearing	9.5	6	15.5
38	PT-F26AB	ZS56/28.6 ZS56/40	R457B	Sealed AC bearing	R457B	Sealed AC bearing	17	6	23

F27NC

ZS56/28.6 | ZS56/40

Internal Headset $\Phi 28.6 \times 56 \times 39.8$

1.5" upper / 1.5" bottom head tube for

taperd fork 1 1/8"-1.5"

Height :12+3=15mm

Weight :147.6g

Bearings: Sealed AC Bearings R457B

Material: Plastic cover w/TPR seal, AL6061 cups & AL7075 crown race

Finish: Anodized

ZOOM

With ZOOM ICR stem



TDS-D651-8FOV

TDS-D659-8FOV


LEADTEC

With LEADTEC ICR stem


LCS-7151



Stack Hight=12+3=15±0.5





PT-70



零件名稱 Item Name	零件料號 Item No.	材質 Material	數量 Qty
墊圈 /5mm Road Spacer	H2223-5	Nylon	2PCS

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	護蓋 / PROTECTIVE COVER	H1933	Nylon	1PCS
2	1 1/8" 鋁上蓋 (穿線 / TOP COVER	H1932	Nylon	1PCS
2.1	防水圈 / SEAL	A301	Rubber	1PCS
2.2	防水塞 -L / SEAL	A304L	TPR	1PCS
2.3	防水塞 -R / SEAL	A304R	TPR	1PCS
3	束環 (穿線) / COMPRESSION RING	H2891	AL6061	1PCS
3.1	PIN 柱銷 / FIXING PIN	H7602	AL6061	2PCS
4	軸承 / 52x42x45°x7 / SEALED BEARING	R457B	SUJ2	2PCS
5	56 鋁軸承下碗 / LOWER CUP	H5527	AL6061	1PCS
6	防水圈 / SEAL	A277	Rubber	1PCS
7	鋁下塞 / CROWN RACE	-	AL7075	1PCS
8	56 鋁軸承下碗 / LOWER CUP	L1097	SCM	1PCS





TDS-D651-8FOV



TDS-D659-8FOV



LCS-7151



TREKKING

TDS-D651-8FOV



TREKKING

TDS-D659-8FOV



TREKKING

LCS-7151

STEM

SPACER

STEM COVER

HEADSET

PT-70 (5mm)

H1933

PT-F27NC

PT-70 (5mm)

H1933

PT-F27NC

PT-70 (5mm)

H1933

PT-F27NC

PRESTINE

PT-1868AW

IS52/28.6 | IS52/40

Integrated Headset $\Phi 28.6 \times 52 \times 39.8$

1.5 upper / 1.5 bottom head tube for




tapered fork 1 1/8"-1.5"

Height : 7.6+1=8.6mm

Bearings: Sealed AC Bearings R457B

Material: Plastic top cover w/Rubber seal, AL7075 crown race

Finish: Anodized



Stack Hight=7.6+1=8.6±0.5

H2240


With ZOOM ICR stem

TDS-0647-8FOV

TM-AL-21-8

TDS-RD650-8FOV

TDS-RD650-8-35




H2239


With KALLOY ICR stem

ASIC4006


ASIC038



PT-71




零件名稱 Item Name	零件料號 Item No.	材質 Material	數量 Qty
墊圈 / 5mm Road Spacer	H2236	PA6+30%GF	2PCS




型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1868AW-1	H6420-1	ø39.8	+0 -0.1
PT-1868AW-2	H6421-2	ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	防水塞 / RUBBER PLUG	A306	Rubber	1PCS
2	上蓋 / TOP COVER	H1945	Nylon	1PCS
3	防水圈 / SEAL	A303	Rubber	1PCS
4	塑膠華司 / WASHER	H2409	PVC	1PCS
5	束環 (穿線) / COMPRESSION RING	H2894	Nylon	1PCS
8	軸承 / 52x42x45°x7 / SEALED BEARING	R457B	SUJ2	2PCS
7	鋁下塞 / CROWN RACE	-	AL7075	1PCS



PT-1869AW

IS52/28.6 | IS52/40



Integrated HeadsetΦ28.6*52*52*39.8

1.5 upper /1.5 bottom head tube for


tapered fork 1 1/8"-1.5"

Height : $7.7 + 1 = 8.7\text{mm}$

Bearings: Sealed AC Bearings R457B

Material: Plastic top cover w/Rubber seal, AL7075 crown race

Finish: Anodized



H2240



With ZOOM ICR stem

TDS-D647-8FOV


TM-AL-21-8

TDS-RD650-8FOV






TDS-RD650-8-35



PT-71



零件名稱 Item Name	零件料號 Item No.	材質 Material	數量 Qty
墊圈 /5mm Road Spacer	H2236	PA6+30%GF	2PCS




H2239



With KALLOY ICR stem

ASIC4006

ASIC038

Stack Hight=7.7+1=8.7±0.5




NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	防水塞 / RUBBER PLUG	A306	Rubber	1PCS
2	上蓋 / TOP COVER	H1945	Nylon	1PCS
3	防水圈 / SEAL	A303	Rubber	1PCS
4	塑膠華司 / WASHER	H2894	Nylon	1PCS
5	束環 (穿線) / COMPRESSION RING	R457B	SUJ2	2PCS
8	軸承 / 52x42x45°x7 / SEALED BEARING	A277	Rubber	1PCS
7	鋁下塞 (下 8.3 用) / CROWN RACE	—	AL7075	1PCS



PT-F13AW


ZS56/28.6 | ZS56/40

Internal Headset $\Phi 28.6 \times 56 \times 39.8$
1.5 upper / 1.5 bottom head tube for
tapered fork 1 1/8"-1.5"
Height : 9.7+3=10.7mm
Bearings: Sealed AC Bearings R457B
Material: Plastic top cover w/Rubber seal, AL7075 crown race
Finish: Anodized



Stack Height=9.7+3=12.7±0.5


5



H2240

zoom

With ZOOM ICR stem
TDS-0647-8FOV
TM-AL-21-8
TDS-RD650-8FOV
TDS-RD650-8-35




H2239

UNO

With KALLOY ICR stem
ASIC4006
ASIC038


PT-71



零件名稱 Item Name	零件料號 Item No.	材質 Material	數量 Qty
墊圈 / 5mm Road Spacer	H2236	PA6+30%GF	2PCS


型號 MODEL NO.	零件料號 Item No.	ΦD	+0 -0.1
PT-F13AW-1	H6430-1	Φ39.8	+0 -0.1
PT-F13AW-2	H6430-2	Φ30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	防水塞 / RUBBER PLUG	A306	Rubber	1PCS
2	上蓋 / TOP COVER	H1945	Nylon	1PCS
3	防水圈 / SEAL	A307	Rubber	1PCS
4	塑膠華司 / WASHER	H2409	PVC	1PCS
5	束環 (穿線) / COMPRESSION RING	H2894	Nylon	1PCS
6	軸承 / 52x42x45°x7 / SEALED BEARING	R457B	SUJ2	2PCS
7	56 鋁軸承下碗 / LOWER CUP	H5527	AL6061	2PCS
8	防水圈 / SEAL	A277	Rubber	1PCS
9	鋁下塞 / CROWN RACE	-	AL7075	1PCS





TDS-D647-8FOV




TM-AL-21-8




TDS-RD650-8FOV

TDS-RD650-8-35



	TREKKING	MTB	MTB
STEM	TDS-D647-8FOV	TM-AL-21-8	TDS-RD650-8FOV TDS-RD650-8-35
SPACER	PT-71 (5mm)	PT-71 (5mm)	PT-71 (5mm)
STEM COVER	none	none	H2240
HEADSET	PT-1868AW	PT-1868AW	PT-1868AW
	PT-1869AW	PT-1869AW	PT-1869AW
	PT-F13AW	PT-F13AW	PT-F13AW



ASIC4006



ASIC038





	TREKKING	TREKKING
STEM	ASIC4006	ASIC038
SPACER	PT-71 (5mm)	PT-71 (5mm)
STEM COVER	H2239	H2239
HEADSET	PT-1868AW	PT-1868AW
	PT-1869AW	PT-1869AW
	PT-F13AW	PT-F13AW



TDS-RD713-8FOV
TDS-RC528-8FOV



TDS-RD706-8FOV



	ROAD	ROAD
STEM	TDS-RD713-8FOV / TDS-RC528-8FOV	TDS-RD706-8FOV
SPACER	TDS-D636-8FOV (5mm 、10mm)	TDS-D636-8FOV (5mm 、10mm)
STEM COVER	H2224-078	078-H2230
HEADSET	PT-1866A-078	PT-1866A-078
	PT-1866B-078	PT-1866B-078
	PT-1866C-078	PT-1866C-078

PRESTINE**LEADTEC****LCS-7156**

	ROAD
STEM	LCS-7156
SPACER	PT-68 (5mm 、10mm)
STEM COVER	733-H2225
HEADSET	PT-1865N
	PT-1866N
	PT-F13N

**LCH-6560****JUNIOR/KIDS**
LCH-6560 FROM LEADTEC**SPACER**
LC-5073-02 FROM LEADTEC**TOP COVER**
LC-5073-01 FROM LEADTEC**HEADSET**
PT-1805-733 FROM PRESTINE

GO GREEN




Innovation
Growth
Sustainable

PRESTINE






HEADSETS



Finish: Anodized

型號 MODEL NO.		零件料號 Item No.	ØD +0 -0.1
⑥	PT-1863KW-1	H6420-1	ø39.8 +0 -0.1
	PT-1863KW-2	H6421-1	ø30.0 +0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	PT-67A 鉛墊圈 -Ø35x5/ SPACER	-	AL6061	1PCS
2	1 1/8" 鋁上蓋 (穿線 / TOP COVER	H1934	AL6061	1PCS
2.1	防水塞 -L / SEAL	A302-L	TPR	1PCS
2.2	防水塞 -R / SEAL	A302-R	TPR	1PCS
3	防水圈 / SEAL	418-PRD01023-1	Rubber	1PCS
*4	束環 (穿線) / COMPRESSION RING	H2891	AL6061	1PCS
4.1	固定銷 -PIN / FIXING PIN	H7602	AL6061	1PCS
5	軸承 / 52x42x45°x7 / SEALED BEARING	R457B	SUU2	2PCS
6	鋁下塞 / CROWN RACE	-	AL7075	1PCS





INTERNAL CABLE ROUTING SYSTEM

HEADSET



PT-1864KW

IS52/28.6 | IS52/40

Integrated Headset $\Phi 28.6 \times 52 \times 52 \times 39.8$

1.5 upper / 1.5 bottom head tube for

tapered fork 1 1/8"-1.5"

Height : $14.8 + 1 = 15.8 \text{ mm}$


Weight : 96.3g

Bearings: Sealed AC Bearings R457B

Material: top cover 6061-T6 w/TPR seal, AL7075 crown race


Finish: Anodized

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1864KW-1	H6430-1	Ø39.8	+0 -0.1
PT-1864KW-2	H6430-1	Ø30.0	+0 -0.1



Stack Hight= $14.8 + 1 = 15.8 \pm 0.5$

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	PT-67A 鋁墊圈 - $\Phi 35 \times 5$ / SPACER	-	AL6061	1PCS
2	1 1/8" 鋁上蓋 (穿線 / TOP COVER	H1934	AL6061	1PCS
2.1	防水塞 -L / SEAL	A302-L	TPR	1PCS
2.2	防水塞 -R / SEAL	A302-R	TPR	1PCS
3	防水圈 / SEAL	418-PRD01023-1	Rubber	1PCS
*4	束環 (穿線) / COMPRESSION RING	H2892	AL6061	1PCS
4.1	固定銷 -PIN / FIXING PIN	H7602	AL6061	1PCS
5	軸承 / $52 \times 42 \times 45 \times 7$ / SEALED BEARING	R457B	SUJ2	2PCS
6	防水圈 / SEAL	A277	Rubber	1PCS
7	1.5" 鋁下塞 (下 8.3 用) / CROWN RACE	-	AL7075	1PCS





HEADSET

INTERNAL CABLE ROUTING SYSTEM



PRESTINE



Stack Hight=17+3=20±0.5

PT-F13KW

ZS56/28.6 | ZS56/40

Internal HeadsetΦ28.6*56*56*39.8

1.5 upper /1.5 bottom head tube for

tapered fork 1 1/8"-1.5"

Height :17+3=20mm

Weight :140.5g


Bearings: Sealed AC Bearings R457B

Material:top cover 6061-T6 w/TPR seal, AL7075 crown race

Finish: Anodized

型號 MODEL NO.	零件料號 Item No.	ΦD	+0 -0.1
PT-F13KW-1	H6430-1	ø39.8	+0 -0.1
PT-F13KW-2	H6430-2	ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	PT-67A 鋁墊圈 -Ø35x5/ SPACER	-	AL6061	1PCS
2	1 1/8" 鋁上蓋 (穿線) / TOP COVER	H1935	AL6061	1PCS
2.1	防水塞 -L / SEAL	A302-L	TPR	1PCS
2.2	防水塞 -R / SEAL	A302-R	TPR	1PCS
3	防水圈 / SEAL	A301	Rubber	1PCS
*4	束環 (穿線) / COMPRESSION RING	H2891	AL6061	1PCS
4.1	固定銷 -PIN / FIXING PIN	H7602	AL6061	1PCS
5	軸承 / 52x42x45°x7 / SEALED BEARING	R457B	SUJ2	2PCS
6	56 鋁軸承下碗 / LOWER CUP	H5527	AL6061	2PCS
7	防水圈 / SEAL	A277	Rubber	1PCS
6	鋁下塞 / CROWN RACE	-	AL7075	1PCS





INTERNAL CABLE ROUTING SYSTEM

HEADSET

PT-F16KW

ZS56/28.6 | ZS56/40

Internal Headset $\Phi 28.6 \times 56 \times 56 \times 39.8$

1.5 upper / 1.5 bottom head tube for



tapered fork 1 1/8"-1.5"

Height : $17 + 3.2 = 20.2\text{mm}$

Bearings: semi-cartridge bearings

Material: top cover 6061-T6 w/TPR seal, AL7075 crown race


Finish: Anodized



Stack Hight= $17 + 3.2 = 20.2 \pm 0.5$

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-F16KW-1	H6426	$\phi 39.8$	+0 -0.1
PT-F16KW-2	H6423	$\phi 30.0$	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	PT-67A 鋁墊圈 - $\Phi 35 \times 5$ / SPACER	-	AL6061	1PCS
2	鋁上蓋 / TOP COVER	H1935	AL6061	1PCS
2.1	防水塞 -L / SEAL	A302-L	TPR	1PCS
2.2	防水塞 -R / SEAL	A302-R	TPR	1PCS
3	防水圈 / SEAL	A301	Rubber	1PCS
4	鋁束環 / COMPRESSION RING	H2896	AL6061	1PCS
4.1	固定銷 -PIN / FIXING PIN	H7602	AL6061	1PCS
5	56 半卡式下碗 / SEMI CARTRIDGE LOWER CUP	H5605-1	1008	2PCS
5.1	油封圈 / SEAL	A252	Nylon	2PCS
5.2	內珠軌 / BALL RACE	H7204-1	4130	2PCS
5.3	3/16"x23 珠巢 / BALL RACE	R206	-	2PCS
6	下塞 / CROWN RACE	-	1008	1PCS





HEADSET

INTERNAL CABLE ROUTING SYSTEM


PRESTINE

PT-F18KW

ZS56/28.6 | ZS66/45.8


Internal Headset Φ28.6*56*66*39.8

1.5 upper /1.8 bottom head tube for

tapered fork 1 1/8"-1.8"

Height :17.1+3.5=20.6mm


Bearings: Sealed AC Bearings

Material:top cover 6061-T6 w/TPR seal, AL7075 crown race

Finish: Anodized

型號 MODEL NO.	零件料號 Item No.	ΦD	+0 -0.1
PT-F18KW-1	H6432-1	ø45.8	+0 -0.1
PT-F18KW-2	611-H6432-1	ø39.8	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	PT-67A 鋁墊圈 -Ø35x5/ SPACER	-	AL6061	1PCS
2	1 1/8" 鋁上蓋 (穿線) / TOP COVER	H1935	AL6061	1PCS
2.1	防水塞 -L / SEAL	A302-L	TPR	1PCS
2.2	防水塞 -R / SEAL	A302-R	TPR	1PCS
3	防水圈 / SEAL	A301	Rubber	1PCS
4	束環 (穿線) / COMPRESSION RING	H2891	AL6061	1PCS
4.1	固定銷 -PIN / FIXING PIN	H7602	AL6061	1PCS
5	軸承 / 52x42x45°x7 / SEALED BEARING	R457B	SUJ2	1PCS
5.1	56 鋁軸承下碗 / LOWER CUP	H5527	AL6061	1PCS
5.2	66 鋁軸承下碗 / LOWER CUP	H5528	AL6061	1PCS
5.3	軸承 / 60x46.5x8x45° / SEALED BEARING	R458B	SUJ2	1PCS
6	鋁下塞 (剖溝) / CROWN RACE	-	AL7075	1PCS





INTERNAL CABLE ROUTING SYSTEM

HEADSET



PT-1869KW

IS60/28.6 | IS60/45.8

Integrated Headset $\Phi 28.6 \times 60 \times 60 \times 45.8$

1.8 upper / 1.8 bottom head tube for

tapered fork 1 1/8"-1.8"


Height :15.1+1=16.1mm

Bearings: Sealed AC Bearings R458B

Material: top cover 6061-T6 w/TPR seal, AL7075 crown race


Finish: Anodized

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1869KW-1	xxx-H6432-1	Ø45.8	+0 -0.1
PT-1869KW-2	xxx-H6433-1	Ø39.8	+0 -0.1



Stack Hight= 15.1+1=16.1±0.5

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	PT-67A 鋁墊圈 -Ø35x5/ SPACER	-	AL6061	1PCS
2	1 1/8" 鋁上蓋 (穿線) / TOP COVER	XXX-H1935	AL6061	1PCS
2.1	防水塞 -L / SEAL	A302-L	TPR	1PCS
2.2	防水塞 -R / SEAL	A302-R	TPR	1PCS
3	防水圈 / SEAL	A301	Rubber	1PCS
*4	束環 (穿線) / COMPRESSION RING	XXX-H2891	AL6061	1PCS
4.1	固定銷 -PIN / FIXING PIN	H7602	AL6061	1PCS
5	軸承 / 60x46.5x8x45° / SEALED BEARING	R458B	SUJ2	2PCS
6	鋁下塞 (剖溝) / CROWN RACE	-	AL7075	1PCS





HEADSET

INTERNAL CABLE ROUTING SYSTEM



PRESTINE



Stack Hight= $16.8+3=19.8\pm 0.5$

PT-F19KW

ZS60/28.6 | ZS60/40

Internal Headset $\varnothing 28.6 \times 60 \times 39.8$

1.8 upper / 1.8 bottom head tube for

tapered fork 1 1/8"-1.5"

Height : $16.8+3=19.8\text{mm}$


Bearings: Sealed AC Bearings R457B

Material: top cover 6061-T6 w/TPR seal, AL7075 crown race

Finish: Anodized

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-F19KW-1	H6430-1	$\varnothing 39.8$	+0 -0.1
PT-F19KW-2	H6430-2	$\varnothing 30.0$	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	PT-67A 鋁墊圈 - $\varnothing 35 \times 5$ / SPACER	-	AL6061	1PCS
2	1 1/8" 鋁上蓋 (穿線) / TOP COVER	xxx-H1935	AL6061	1PCS
2.1	防水塞 -L / SEAL	A302-L	TPR	1PCS
2.2	防水塞 -R / SEAL	A302-R	TPR	1PCS
3	防水圈 / SEAL	A301	Rubber	1PCS
4	束環 (穿線) / COMPRESSION RING	H2892	AL6061	1PCS
4.1	固定銷 -PIN / FIXING PIN	H7602	AL6061	1PCS
5	軸承 / 60x46.5x8x45° / SEALED BEARING	R457B	SUJ2	2PCS
6	68 鋁下碗 / LOWER CUP	xxx-H5528	AL6061	2PCS
7	防水圈 / SEAL	A277	Rubber	1PCS
8	鋁下塞 (剖溝) / CROWN RACE	-	AL7075	1PCS





INTERNAL CABLE ROUTING SYSTEM

HEADSET

PT-1863CW

IS52/28.6 | IS52/40

Integrated Headset $\Phi 28.6 \times 52 \times 39.8$

1.5 upper / 1.5 bottom head tube for

tapered fork 1 1/8"-1.5"

Height : $13.5 + 1 = 14.5 \text{ mm}$

Weight : 81.6g



Bearings: Sealed AC Bearings R457B

Material: Plastic cover w/TPR seal, AL7075 crown race

Finish: Anodized

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
⑤ PT-1863CW-1	H6420-1	ø39.8	+0 -0.1
PT-1863CW-2	H6421-1	ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	尼龍束環 / SPACER	H2895	Nylon	1PCS
2	尼龍上蓋 / TOP COVER	H1931	Nylon	1PCS
2.1	防水塞 -L / SEAL	A304-L	TPR	1PCS
2.2	防水塞 -R / SEAL	A304-R	TPR	1PCS
3	防水圈 / SEAL	418-PRD01023-1	Rubber	1PCS
4	軸承 / 52x42x45°x7 / SEALED BEARING	R457B	SUJ2	2PCS
6	1.5" 鋁下塞 / CROWN RACE	-	AL7075	1PCS




Stack Hight= $13.5 + 1 = 14.5 \pm 0.5$





INTERNAL CABLE ROUTING SYSTEM

HEADSET



Stack Hight= 13+3=16±0.5

PT-F13CW

ZS56/28.6 | ZS56/40

Internal Headset Ø28.6*56*56*39.8

1.5 upper / 1.5 bottom head tube for

tapered fork 1 1/8"-1.5"

Height :13+3=16mm

Weight :120g


Bearings: Sealed AC Bearings R457B

Material: Plastic cover w/TPR seal, AL7075 crown race

Finish: Anodized

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-F13CW-1	H6430-1	Ø39.8	+0 -0.1
PT-F13CW-2	H6430-2	Ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	尼龍束環 / SPACER	H2895	Nylon	1PCS
2	尼龍上蓋 / TOP COVER	H1934	Nylon	1PCS
2.1	防水塞 -L / SEAL	A304-L	TPR	1PCS
2.2	防水塞 -R / SEAL	A304-R	TPR	1PCS
3	防水圈 / SEAL	A301	Rubber	1PCS
4	軸承 / 52x42x45°x7 / SEALED BEARING	R457B	SUJ-2	2PCS
5	56 鋁軸承下碗 / LOWER CUP	H5527	AL6061	2PCS
6	防水圈 / SEAL	A277	Rubber	1PCS
7	鋁下塞 / CROWN RACE	-	AL7075	1PCS



HEADSET

INTERNAL CABLE ROUTING SYSTEM


PRESTINE


PT-1863GW

IS52/28.6 | IS52/40

 Integrated Headset $\Phi 28.6 \times 52 \times 39.8$

 1.5 upper / 1.5 bottom head tube for
tapered fork 1 1/8"-1.5"

 Height : $14.8 + 1 = 15.8 \text{ mm}$

Weight : 103.9g


Bearings: Sealed AC Bearings R457B

Material: top cover 6061-T6 w/TPR seal, AL7075 crown race

Finish: Anodized

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1863GW-1	H6420-1	ø39.8	+0 -0.1
PT-1863GW-2	H6420-2	ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	PT-67A 鋁墊圈 - $\Phi 35 \times 5$ / SPACER	-	AL6061	1PCS
2	1 1/8" 鋁上蓋 (穿線) / TOP COVER	H1948	AL6061	1PCS
2.1	防水塞 / SEAL	A304-L	TPR	1PCS
3	防水圈 / SEAL	418-PRD01023-1	Rubber	1PCS
*4	束環 (穿線) / COMPRESSION RING	H2876	AL6061	1PCS
5	防水圈 / SEAL	A277	Rubber	1PCS
6	軸承 / $52 \times 42 \times 45 \times 7$ / SEALED BEARING	R457B	SUJ-2	2PCS
7	鋁下塞 / CROWN RACE	-	AL7075	1PCS


 Stack Height = $14.8 + 1 = 15.8 \pm 0.5$



INTERNAL CABLE ROUTING SYSTEM

HEADSET



PT-1864GW

IS52/28.6 | IS52/40

Integrated Headset $\Phi 28.6 \times 52 \times 39.8$

1.5 upper / 1.5 bottom head tube for

tapered fork 1 1/8"-1.5"

Height : 14.8+1=15.8mm


Weight : 104.8g

Bearings: Sealed AC Bearings R457B

Material: top cover 6061-T6 w/TPR seal, AL7075 crown race


Finish: Anodized

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1864GW-1	H6430-1	ø39.8	+0 -0.1
PT-1864GW-2	H6430-2	ø30.0	+0 -0.1



Stack Hight=14.8+1=15.8±0.5

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	PT-67A 鋁墊圈 -Ø35x5 / SPACER	-	AL6061	1PCS
2	1 1/8" 鋁上蓋 (穿線) / TOP COVER	H1948	AL6061	1PCS
2.1	防水塞 / SEAL	A304-L	TPR	1PCS
3	防水圈 / SEAL	418-PRD01023-1	Rubber	1PCS
*4	束環 (穿線) / COMPRESSION RING	H2876	AL6061	1PCS
5	防水圈 / SEAL	A277	Rubber	1PCS
6	軸承 / 52x42x45°x7 / SEALED BEARING	R457B	SUJ-2	2PCS
7	鋁下塞 / CROWN RACE	-	AL7075	1PCS



HEADSET

INTERNAL CABLE ROUTING SYSTEM


PRESTINE


PT-F13GW

ZS56/28.6 | ZS56/40

 Internal Headset $\Phi 28.6 \times 56 \times 56 \times 39.8$

1.5 upper / 1.5 bottom head tube for

tapered fork 1 1/8"-1.5"


Height : 17+3=20mm

Weight : 146g

Bearings: Sealed AC Bearings R457B


Material: top cover 6061-T6 w/TPR seal, AL7075 crown race

Finish: Anodized



型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-F13GW-1	H6420-1	$\phi 39.8$	+0 -0.1
PT-F13GW-2	H6421-2	$\phi 30.0$	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	PT-67A 鋁墊圈 - $\Phi 35 \times 5$ / SPACER	-	AL6061	1PCS
2	1 1/8" 鋁上蓋 (穿線) / TOP COVER	H1949	AL6061	1PCS
2.1	防水塞 -L / SEAL	A302-L	TPR	1PCS
3	防水圈 / SEAL	A301	Rubber	1PCS
*4	束環 (穿線) / COMPRESSION RING	H2875	AL6061	1PCS
5	軸承 / 52x42x45°x7 / SEALED BEARING	R457B	SUJ-2	2PCS
6	56 鋁軸承下碗 / LOWER CUP	H5527	AL6061	2PCS
7	防水圈 / SEAL	A277	Rubber	1PCS
8	鋁下塞 / CROWN RACE	-	AL7075	1PCS



PRESTINE**INTERNAL CABLE ROUTING SYSTEM****HEADSET****PT-1866A-078****IS52/28.6 | IS52/40**

Internal Cable Routing System (Integrated Headset)

1.5" upper / 1.5" bottom for Tapered fork 1 1/8" - 1.5"

Ø28.6* 52* 52* 39.8

Height: 9.7+1=10.7mm

Bearings: Sealed AC bearings

52* 45° H7 (R457B)

Material: W/AL-7075 crown race

Headtube Bearing Seat depth upper 8.3 lower 8.3

Option:1867A-078 ③ compression ring (NYLON PAG+30%GF)

zoom
Precision Steering Components
With ZOOM ICR stem

TDS-(R)D631-8FOV

TDS-D632-8FOV

TDS-C634-8FOV



TDS-D636-8FOV

TDS-D645-8FOV

TDS-D658-8FOV

TM-AL-20-8


TM-AL-61-8



Stack Hight=9.7+1=10.7±0.5

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1866A-078-1	H6430-1	ø39.8	+0 -0.1
PT-1866A-078-2	H6430-2	ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	上蓋 / TOP COVER	078-H1924	Nylon	1PCS
2	防水圈 / SEAL	418-PRD1023-1	Rubber	1PCS
3	束環 (穿線) / COMPRESSION RING	H2884	AL6061	1PCS
4	軸承 (52x42x45° x7) / SEALED BEARING	R457B	SUJ-2	2PCS
5	防水圈 / SEAL	A277	Rubber	1PCS
6	1.5" 鋁下塞 (下 8.3 用) / CROWN RACE	-	AL7075	1PCS



HEADSET

INTERNAL CABLE ROUTING SYSTEM


PRESTINE


PT-1866B-078

IS52/28.6 | IS52/40



Internal Cable Routing System (Integrated Headset)
1.5" upper / 1.5" bottom for Tapered fork 1 1/8" - 1.5"
Ø28.6* 52* 52* 39.8

Height: 9.7+1=10.7mm
Bearings: Sealed AC bearings
52* 45°* H7 (R457B)
Material: W/AL-7075 crown race
Headtube Bearing Seat depth upper 8.7 lower 7
Option:1867B-078 ③ compression ring (NYLON PAG+30%GF)

zoom
Precision Steering Components

With ZOOM ICR stem

TDS-(R)D631-8FOV
TDS-D632-8FOV
TDS-C634-8FOV
TDS-D636-8FOV
TDS-D645-8FOV
TDS-D658-8FOV
TM-AL-20-8
TM-AL-61-8



Stack Height=9.7+1=10.7±0.5

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1866B-078-1	H6420-1	Ø39.8	+0 -0.1
PT-1866B-078-2	H6421-1	Ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	上蓋 / TOP COVER	078-H1924	Nylon	1PCS
2	防水圈 / SEAL	418-PRD1023-1	Rubber	1PCS
3	束環 (穿線) / COMPRESSION RING	H2883	AL6061	1PCS
4	軸承 (52x42x45° x7) / SEALED BEARING	R457B	SUJ2	2PCS
6	鋁下塞 / CROWN RACE	-	AL7075	1PCS



INTERNAL CABLE ROUTING SYSTEM

HEADSET



PT-1866C-078

ZS56/28.6 | ZS56/40

For integrated cable routing system
Internal Headset Ø28.6*56*56*39.8
1.5 upper / 1.5 bottom head tube for
tapped fork 1 1/8" - 1.5"
Height: 13.9+3=16.9mm
Bearings: Sealed AC bearings R457B
Material: w/AL-7075 crown race
Finish: Anodized





Precision Steering Components

With ZOOM ICR stem

TDS-(R)D631-8FOV
TDS-D632-8FOV
TDS-C634-8FOV
TDS-D636-8FOV
TDS-D645-8FOV
TDS-D658-8FOV
TM-AL-20-8
TM-AL-61-8

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1866C-078-1	H6430-1	Ø39.8	+0 -0.1
PT-1866C-078-2	H6430-2	Ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	1 1/8" 鋁上蓋 (穿線) / TOP COVER	078-H1926	Nylon	1PCS
2	防水圈 / SEAL	A301	Rubber	1PCS
3	束環 (穿線) / COMPRESSION RING	H2883	AL6061	1PCS
4	軸承 (52x42x45° x7) / SEALED BEARING	R457B	SUJ2	2PCS
5	56 鋁軸承下碗 / LOWER CUP	H5527	AL6061	2PCS
6	防水圈 / SEAL	A277	Rubber	1PCS
7	鋁下塞 / CROWN RACE	-	AL7075	1PCS



Stack Hight=13.9+3=16.9±0.5



PRES*TINE*



PT-1866E-078

EC44/28.6 | EC44/40

For integrated cable routing system


Ø28.6x44x44x39.8

Height: $22.3+13.6=35.3\text{mm}$

Bearings: Sealed AC bearings R457B

Material: Alloy 6061-T6 w/AL-7075 crown race

Finish: Anodized


$$\text{Stack Hight} = 22.3 + 13.6 = 35.3 \pm 0.5$$

型號 MODEL NO.		零件料號 Item No.	∅D	+0 -0.1
⑦	PT-1866E-078-1	H6430-1	∅39.8	+0 -0.1
	PT-1866E-078-2	H6430-2	∅30.0	+0 -0.1



Precision Steering Components

With ZOOM ICR stem

TDS-(R)D631-8FOV

TDS-D632-8FOV

TDS-C634-8FOV

TDS-D636-8FOV


TDS-D645-8FOV

TDS-D658-8FOV

TM-AL-20-8

TM-AL-61-8

NO.	零件名稱 ITME NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	上蓋 / TOP COVER	078-H1924	Nylon	1PCS
2	防水圈 / SEAL	418-PRD01023-1	Rubber	1PCS
3	束環 (穿線) / COMPRESSION RING	H2884	AL6061	1PCS
4	軸承 (52x42x45° x7) / SEALED BEARING	R457B	SUJ-2	2PCS
5	鋁上下碗 / LOWER CUP	078-H5520	AL6061	2PCS
6	防水圈 / SEAL	A277	Rubber	1PCS
7	1.5" 鋁下塞 / CROWN RACE	-	AL7075	1PCS





INTERNAL CABLE ROUTING SYSTEM

HEADSET

PT-1866EC-078

ZS56/28.6 | ZS56/40

For integrated cable routing system
Internal Headset Ø28.6*56*39.8
1.5 upper / 1.5 bottom head tube for
tapped fork 1 1/8" - 1.5"

Height: 13.9+3.2=17.1mm

Bearings: Semi-Cartridge Bearings

Material: Steel

Finish: EDBK



With ZOOM ICR stem

TDS-(R)D631-8FOV

TDS-D632-8FOV

TDS-C634-8FOV

TDS-D636-8FOV


TDS-D645-8FOV

TDS-D658-8FOV




TM-AL-20-8

TM-AL-61-8

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1866EC-078-1	H6426	ø39.8	+0 -0.1
PT-1866EC-078-2	H6223	ø30.0	+0 -0.1



Stack Hight=13.9+3.2=17.1±0.5



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	1 1/8" 鋁上蓋 (穿線) / TOP COVER	078-H1926	Nylon	1PCS
2	防水圈 / SEAL	A301	Rubber	1PCS
3	鋁束環 / COMPRESSION RING	H2882	AL6061	1PCS
4	56 半卡式下碗 / SEMI CARTRIDGE LOWER CUP	H5605-2	1008	2PCS
4.1	油封圈 / SEAL	A252	Nylon	2PCS
4.2	內珠軌 / BALL RACE	H7204-1ED	4130	2PCS
4	3/16"X23 珠巢 / BALL RETAINER	R206	-	2PCS
5	下塞 / CROWN RACE	-	1008	1PCS

HEADSET

INTERNAL CABLE ROUTING SYSTEM



PRESTINE

PT-1866F-078

ZS56/28.6 | ZS66/45.8

For integrated cable routing system
Internal Headset Ø28.6 x 56 x 66 x 45.8
1.5 upper / 1.8 bottom head tube for
tapped fork 1 1/8" - 1.8"

Height: 13.9+3.5=17.4mm
Bearings: Sealed AC bearings R457B/R458B
Material: Alloy 6061-T6 w/AL-7075 crown race
Finish: Anodized


zoom
Precision Steering Components

With ZOOM ICR stem


TDS-(R)D631-8FOV
TDS-D632-8FOV
TDS-C634-8FOV
TDS-D636-8FOV
TDS-D645-8FOV
TDS-D658-8FOV
TM-AL-20-8
TM-AL-61-8

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1867F-078-1	H6432-1	ø45.8	+0 -0.1
PT-1867F-078-2	611-H6432-1	ø39.8	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	1 1/8" 鋁上蓋 (穿線) / TOP COVER	078-H1926	Nylon	1PCS
2	防水圈 / SEAL	A301	Rubber	1PCS
3	束環 (穿線) / COMPRESSION RING	H2887	Nylon	1PCS
4	軸承 (52x42x45° x7) / SEALED BEARING	R457B	SUJ2	1PCS
5	56 鋁軸承下碗 / LOWER CUP	H5527	AL6061	1PCS
6	66 鋁軸承下碗 / LOWER CUP	H5528	AL6061	1PCS
7	軸承 (60x46.5x8x45°) / SEALED BEARING	R458B	SUJ2	1PCS
8	1.8" 鋁下塞 / CROWN RACE	-	AL7075	1PCS



Stack Hight=13.9+3.5=17.4±0.5





INTERNAL CABLE ROUTING SYSTEM

HEADSET





PT-1865

IS52/28.6 | IS52/40

Internal Cable Routing System (Integrated Headset)
1.5" upper / 1.5" bottom for Tapered fork 1 1/8" - 1.5"
Ø28.6* 52* 52* 39.8

Height: 9.8+1=10.8mm
Bearings: Sealed AC bearings
52* 45°* H7 (R457B)
Material Top cover: AL6061, W/AL-7075 crown race






Stack Height=9.6+1=10.6±0.5

PT-1865N

③ compression ring (NYLON PAG+30%GF)


型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1865-1	H6420-1	ø39.8	+0 -0.1
PT-1865-2	H6421-1	ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	1 1/8" 鋁上蓋 (穿線) / TOP COVER	H1924	Nylon	1PCS
2	防水圈 / SEAL	418-PRD1023-1	Rubber	1PCS
3	束環 (穿線) / COMPRESSION RING	H2875	AL6061	1PCS
4	軸承 (52x42x45° x7) / SEALED BEARING	R457B	SUJ2	2PCS
5	鋁下塞 / CROWN RACE	-	AL7075	1PCS



HEADSET

INTERNAL CABLE ROUTING SYSTEM


PRESTINE


PT-1866

IS52/28.6 | IS52/40

 Integrated Headset $\Phi 28.6 \times 52 \times 52 \times 39.8$

1.5" upper / 1.5" bottom head tube for



taperd fork 1 1/8"-1.5"

 Height : $9.8 + 1 = 10.8\text{mm}$

Bearings: Sealed AC Bearings R457B

Material: Plastic cover w/AL7075 crown race

Finish: Anodized




PT-1866N

③ compression ring (NYLON PAG+30%GF)



型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-1865-1	H6420-1	Ø39.8	+0 -0.1
PT-1865-2	H6421-1	Ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	1 1/8" 鋁上蓋 (穿線) / TOP COVER	H1924	Nylon	1PCS
2	防水圈 / SEAL	418-PRD1023-1	Rubber	1PCS
3	束環 (穿線) / COMPRESSION RING	H2875	AL6061	1PCS
4	軸承 (52x42x45° x7) / SEALED BEARING	R457B	SUJ2	2PCS
5	鋁下塞 / CROWN RACE	-	AL7075	1PCS


30

 Stack Height = $9.8 + 1 = 10.8 \pm 0.5$



INTERNAL CABLE ROUTING SYSTEM

HEADSET



PT-F13KF

ZS56/28.6 | ZS56/40

Internal Headset $\Phi 28.6 \times 56 \times 56 \times 39.8$

1.5" upper / 1.5" bottom head tube for


taperd fork 1 1/8"-1.5"

Height : $11.7 + 3 = 14.7\text{mm}$

Bearings: Sealed AC Bearings R457B


Material: Plastic cover w/AL7075 crown race

Finish: Anodized



PT-F13N


③ compression ring (NYLON PAG+30%GF)



Stack Hight= $11.7 + 3 = 14.7 \pm 0.5$

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-F13KF-1	H6430-1	ø39.8	+0 -0.1
PT-F13KF-2	H6430-2	ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	1 1/8" 鋁上蓋 (穿線) / TOP COVER	H1924	Nylon	1PCS
2	防水圈 / SEAL	418-PRD1023-1	Rubber	1PCS
3	束環 (穿線) / COMPRESSION RING	H2883	AL6061	1PCS
4	軸承 (52x42x45° x7) / SEALED BEARING	R457B	SUJ-2	2PCS
5	56 鋁軸承上碗 / UPPER CUP	H4627	AL6061	1PCS
6	56 鋁軸承下碗 / LOWER CUP	H5527	AL6061	1PCS
7	鋁下塞 / CROWN RACE	-	AL7075	1PCS
7.1	防水圈 / SEAL	A277	Rubber	1PCS



HEADSET

INTERNAL CABLE ROUTING SYSTEM


PRESTINE


PT-68

[NYLON,PAG+30%GF]

Spacer

PT-68

H:5mm & 10mm





型號 Model No	① 零件料號 Item No.	② 零件料號 Item No.	厚度 THICKNESS
PT-68-5	H2218-5	H2219-5	L=5
PT-68-10	H2218-10	H2219-10	L=8

NO.	零件名稱 ITEM NAME	零件料 ITEM NO.	材質 MATERIAL	數量 QTY
1	墊圈 - 凸 / ROAD SPACER	-	Nylon	1PCS
2	墊圈	-	Nylon	1PCS



PT-1709EA

Alloy Expander L: 50mm
Full set made by alloy
OD Ø23.3 for 1 1/8"
steerer ID: 23.3 - 24mm
w/6.5mm slotted gape for cable




PT-1726EA

Alloy Expander L:55mm
Full set made by alloy
OD Ø23.3 for 1 1/8"
steerer ID: 23.3~24mm
w/6.5mm slotted gap for cable
Ribbed track design for the inner shell,force will be move evenly.



H-2409




For Integrated cable routing
1 1/8" micro spacer
T : 0.5mm / ID 28.6mm
Minor adjustable for space
between upper of headtube
& Headset top cover
Material : PC

H-2502



For Integrated cable routing
1 1/8" micro spacer
T: 0.3mm / ID 28.6mm
Minor adjustable for space
between upper of headtube
& Headset top cover



NO.	零件名稱 ITEM NAME	零件料 ITEM NO.	材質 MATERIAL	數量 QTY
1	23_1 凸上壓 UPPER COMPRESSION	L2106-2	AL6061	1PCS
2	白鐵華司 (Ø12.6xØ10.5x0.3) WASHER	H2217	SUS	1PCS
3	M10 中空螺絲 M6(加長型) HOLLOW BOLT	L1052	AL6061	1PCS
4	中套 (銑溝) / SHELL	L4125	AL6061	1PCS
5	下壓力片 (銑溝) LOWER COMPRESSION	L3102-2	AL6061	1PCS

NO.	零件名稱 ITEM NAME	零件料 ITEM NO.	材質 MATERIAL	數量 QTY
1	上壓 / UPPER COMPRESSION	L2110-B	AL6061	1PCS
2	中空螺絲 / HOLLOW SCREW	L1052	AL6061	1PCS
3	白鐵華司 (Ø14xØ10.5x0.3) WASHER	H2213	SUS304	1PCS
4	中套 (銑溝) / SHELL	L4132-B	AL6061	1PCS
5	雙凸下壓 / LOWER COMPRESSION	L3110-B	AL6061	1PCS



INTERNAL CABLE ROUTING SYSTEM

HEADSET

PT-18630

IS52/28.6 | IS52/40



Integrated Headset

1 1/8" upper / 1.5 bottom tapered fork &

1.5" - 1.5" straight headtube

Ø28.6*52*52*39.8

Height: 10.8+1=11.8mm


Weight: 111g

Bearings: Sealed AC bearings R425

Material: top cover 6061-T6 w/AL-7075 crown race


PT-1863D-(Headtube Bearing seat depth upper 8.7 Lower 7)1863DS-crown race ø30mm

PT-1864D-(Headtube Bearing seat depth upper 8.3 Lower 8.3)1864DS-crown race ø30mm



STACK HIGHT =
10.8 + 1 = 11.8 ± 0.5

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
*1	1 1/8" 鋁上蓋 / TOP COVER	H1917	AL6061	1PCS
1.1	O 型圈 / O-RING	A255	Rubber	1PCS
2	防水圈 / SEAL	418-PRD01023-1	Rubber	1PCS
*3	束環 / COMPRESSION RING	H2866D	AL6061	1PCS
4	軸承 / SEALED BEARING	R425	SUJ2	2PCS
5	防水圈 / SEAL	A277	Rubber	1PCS
6	1.5" 鋁下塞 / CROWN RACE	608-H6413-1	AL7075	1PCS
7	馬口鐵 (出貨需附件) MICRO SPACER	WS0002	Tin	1PCS



HEADSET

HEAVY DUTY HEADSET



PRESTINE


PT-F16A

ZS56/28.6 | ZS56/40


1.5" Upper / 1.5" Bottom for tapered fork
 Ø28.6xID56xID56x39.8
 Height: 11.9+2.8=14.7mm
 Bearings: Sealed AC Bearings R413
 Material: AL6061, W/AL7075 crown race
 Finish: Anodized

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
⑦ PT-F16A-1	H6413-1	ø39.8	+0 -0.1
PT-F16A-2	H6417-1	ø30.0	+0 -0.1



Stack Hight=11.9+2.8=14.7±0.5


NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	1 1/8" 鋁上蓋 / TOP COVER	H1927	AL6061	1PCS
1.1	O 型圈 / O-RING	A255	Rubber	2PCS
2	防水圈 / SEAL	A301	Rubber	1PCS
3	1 1/8" 鋁束環 / COMPRESSION RING	H2885	AL6061	1PCS
4	軸承 / SEALED BEARING	R413	SUJ2	2PCS
5	56 鋁碗 / CUP	H5517-1	AL6061	2PCS
6	防水圈 / SEAL	A277	Rubber	1PCS
7	鋁下塞 / CROWN RACE	H6413-1	AL7075	1PCS





HEAVY DUTY HEADSET


HEADSET



PT-F16C

ZS56/28.6 | ZS56/40




1.5" upper / 1.5" bottom for tapered fork
Φ28.6*56*56*39.8
Height :11.7+3.2=14.9mm
Bearings: semi-cartridge bearings
Material: steel
Finish: EDBK



Stack Hight= 11.7+3.2=14.9±0.5

型號 MODEL NO.	零件料號 Item No.	ΦD	+0 -0.1
PT-F16C-1	H6426	Φ39.8	+0 -0.1
PT-F16C-2	H6223	Φ30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁上蓋 / TOP COVER	H1927	AL6061	1PCS
1.1	O 型圈 / O-RING	A255	Rubber	1PCS
2	防水圈 / SEAL	A301	Rubber	1PCS
3	鋁束環 / COMPRESSION RING	H2866D	AL6061	1PCS
4.1	56 半卡式下碗 / SEMI CARTRIDGE LOWER CUP	H5605-1	1008	2PCS
4.2	油封圈 / SEAL	A277	Nylon	2PCS
4.3	內珠軌 / BALL RETAINER	H6413-1	AL7075	2PCS
5	3/16"x23 珠巢 / BALL RETAINER	R206	-	2PCS
6	下塞 / CROWN RACE	-	AL7075	1PCS



HEADSET

HEAVY DUTY HEADSET


PRESTINE


PT-F160

ZS56/28.6 | ZS56/40

1.5" upper / 1.5" bottom for tapered fork


 $\Phi 28.6 \times 56 \times 56 \times 39.8$

 Height : $11.7 + 3 = 14.7\text{mm}$

Bearings: 3/16 x 23B

Material: steel


Finish: EDBK


36

 Stack Height = $11.7 + 3 = 14.7 \pm 0.5$

型號 MODEL NO.	零件料號 Item No.	ØD	+0 -0.1
PT-F16D-1	H6423-1	Ø39.8	+0 -0.1
PT-F16D-2	H6423-2	Ø30.0	+0 -0.1

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	1 1/8" x 34 鋁束環 / COMPRESSION RING	H2601	Nylon	1PCS
2	鋁上蓋 / TOP COVER	H3608	AL6061	1PCS
2.1	1.5" 鐵下塞 / CROWN RACE	H6423-1	1008	1PCS
3	防水圈 / SEAL	A301	NBR	1PCS
4	3/16X23 珠巢 /	R206	-	2PCS
5	56 鐵下碗 / LOWER CUP	H5603-1	1008	2PCS
6	防水片 / SEAL	A291	Nylon	1PCS
7	1.5" 鐵下塞 / CROWN RACE	-	1008	1PCS






ANGLE LIMITED HEADSETS

HEADSET


PT-1808AB

ZS44/28.6 | ZS56/40


1 1/8" upper /1.5" bottom for taperd fork
Φ28.6*44*56*39.8
Rotation angle 130°
Alloy headset blocking Design crown race
Height :9.5+6=15.5mm
Bearings: Sealed AC Bearings
Material: AL6061-T6 w/AL7075 crown race
Finish: Anodized



Stack Hight=9.5+6=15.5±0.5



NO.	零件名稱 ITME NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	1 1/8" 鋁上蓋 / TOP COVER	H1804	AL6061	1PCS
1.1	O 型圈 / O-RING	A255	Rubber	1PCS
2	1 1/8" 鋁束環 / COMPRESSION RING	H2808	AL6061	1PCS
3	防水圈 / SEAL	A256	Rubber	1PCS
4	軸承 / SEALED BEARING	R408	SUJ-2	1PCS
5	鋁軸承上下碗 / CUP	H4563	AL6061	1PCS
6	軸承 (52x42x45° x7)/ SEALED BEARING	R457B	SUJ-2	1PCS
7	角度下碗 / LOWER CUP	H5611	AL6061	1PCS
8	角度下塞 / CROWN RACE	H6434	AL7075	1PCS



HEADSET

ANGLE LIMITED HEADSETS



PRESTINE

PT-F26AB

ZS56/28.6 | ZS56/40



1.5" upper /1.5" bottom for taperd fork

Φ28.6*56*56*39.8

Rotation angle 130°




Alloy headset blocking Design crown race

Height :17+6=23mm

Bearings: Sealed AC Bearings R457B

Material: Plastic cover w/TPR seal, AL6061 cups & AL7075 crown race

Finish: Anodized



Stack Hight=17+6=23±0.5

NO.	零件名稱 ITME NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	PT-67A 鋁墊圈 -Ø35x5 / SPACE	-	AL6061	1PCS
2	1 1/8" 鋁上蓋 (穿線) / TOP COVER	H1935	AL6061	1PCS
2.1	防水塞 -L / SEAL	A302-L	TPR	1PCS
2.2	防水塞 -R / SEAL	A302-R	TPR	2PCS
3	防水圈 / SEAL	A301	Rubber	1PCS
4	束環 (穿線) / COMPRESSION RING	H2891	AL6061	1PCS
4.1	固定銷 -PIN / FIXING PIN	H7602	AL6061	1PCS
5	軸承 (52x42x45° x7)// SEALED BEARING	R457B	SUJ-2	2PCS
6	56 鋁軸承下碗 / LOWER CUP	H5527	AL6061	1PCS
7	角度下碗 / LOWER CUP	H5611	AL6061	1PCS
8	角度下塞 / CROWN RACE	H6434	AL6061	1PCS


GO GREEN

Innovation
Growth
Sustainable



PRESTINE

BOTTOM BRACKETS



ECCENTRIC BB

Page	Item Number	Compatible with	Bearing No.	Bearing Type	BB Type	Spindle OD.
43	PT-6640	SHIMANO & SRAM	R414	Sealed cartridge bearing	BSA 1.37" x 24T 68/73 width PF30 frame	24/24 & 24/22mm

DUB BB SYSTEM FOR 29 SPINDEL

Page	Item Number	Compatible with	Bearing No.	Bearing Type	BB Type	Spindle OD.
44	PT-6623PS	SRAM DUB	R407	Sealed cartridge bearing	BB86 / 92 Pressfit	29
44	PT-6623PST	SRAM DUB	R407	Sealed cartridge bearing	BB86 / 92 Pressfit	29
46	PT-6637PS	SRAM DUB	R433	Sealed cartridge bearing	PF30 w68/73 ID:46mm	29
47	PT-6637PST	SRAM DUB	R433	Sealed cartridge bearing	PF30 w68/73 ID:46mm	29
48	PT-6632PS	SRAM DUB	R433	Sealed cartridge bearing	BB30 w68/73 ID:42mm	29
49	PT-6632PST	SRAM DUB	R433	Sealed cartridge bearing	BB30 w68/73 ID:42mm	29
50	PT-6635U	SRAM DUB	R433	Sealed cartridge bearing	BB386 w/86/92 ID:46mm	29
51	PT-6635UT	SRAM DUB	R433	Sealed cartridge bearing	BB386 w/86/92 ID:46mm	29
52	PT-6638PS	SRAM DUB	R433	Sealed cartridge bearing	BSA 1.37 x 24T 68/73	29

T47BB M47 x P1.0 THREADED

Page	Item Number	Compatible with	Bearing No.	Bearing Type	BB Type	Spindle OD.
53	PT-6639FT	SHIMANO	R414	Sealed cartridge bearing	M47 x P1.0 w86/92mm	24/24mm
54	PT-6641T	SHIMANO	R414	Sealed cartridge bearing	M47 x P1.0 w68/73mm	24/24mm

PF30A24 / BB30A24 / BSABB30 / BB8630


Page	Item Number	Compatible with	Bearing No.	Bearing Type	BB Type	Spindle OD.
55	PT-6639A	PF30A24	R451	Sealed cartridge bearing	PF30A24 ID:46mm w73mm	24/24mm
56	PT-6639FB	PF30A24	R433	Sealed cartridge bearing	PF30A24 ID:46mm w73mm	30/30mm
57	PT-6637AD	PF30A24	R433	Sealed cartridge bearing	PF30A24 ID:46mm w73mm	29/29mm
58	PT-6632A	BB30A24	R451	Sealed cartridge bearing	PF30A24 ID:42mm w73mm	24/24mm
59	PT-6637F	BB right	R414	Sealed cartridge bearing	BB right ID 46mm w/79mm	24/24mm
60	PT-6637FT	BB right	R414	Sealed cartridge bearing	BB right ID 46mm w/79mm	24/24mm
61	PT-6637FD	BB right	R433	Sealed cartridge bearing	BB right ID 46mm w/79mm	29/29mm
62	PT-6637FDT	BB right	R433/R433A	Sealed cartridge bearing (Ceramic)	BB right ID 46mm w/79mm	29/29mm
63	PT-6637FB	BB right	R433	Sealed cartridge bearing	BB right ID 46mm w/79mm	30/30mm

BB386 / BB386 ADAPTER

Page	Item Number	Compatible with	Bearing No.	Bearing Type	BB Type	Spindle OD.
64	PT-6638	BB386	R433	Sealed cartridge bearing	BB386 ID:46 w68/73/86.5mm	30mm
65	PT-6624B	BB8630	R454	Double ball orbit bearing	PF86 frame BB386 crankset ID:41 w86.5mm	30mm
66	PT-6635T / PT-6635TCB	BB386	R433	Sealed cartridge bearing	BB386 ID:46 w68/73/86.5mm	30mm
67	PT-6635D / 6635DCB (Ceramic)	BB386	R433	Sealed cartridge bearing	BB386 ID:46 w68/73/86.5mm	30mm
68	PT-6635AT / 6635ATM (SRAM)	SHIMANO	R451	Sealed cartridge bearing	BB386 adapter ID:46 w86.5mm	24/24mm
69	PT-6635SL	SHIMANO	R414	Sealed cartridge bearing	BB386 adapter ID:46 w86.5mm	24/24mm
70	PT-6635SM	SRAM	R414	Sealed cartridge bearing	BB386 adapter ID:46 w86.5mm	24/22mm
71	PT-6635SA	CAMPY	R414	Sealed cartridge bearing	BB386 adapter ID:46 w86.5mm	25/25mm

PF30 / PF30 ADAPTER

Page	Item Number	Compatible with	Bearing No.	Bearing Type	BB Type	Spindle OD.
72	PT-6637A	SHIMANO	R433	Sealed cartridge bearing	PF30 ID:46mm w68/73mm	30/30mm
73	PT-6637	SHIMANO	R414	Sealed cartridge bearing	PF30 adapter ID:46mm w68/73mm	24/24mm
	PT-6637/PT-6637CB	SHIMANO	R414A	Ceramic bearing	PF30 adapter ID:46mm w68/73mm	24/24mm
74	PT-6637H	SHIMANO	R444	Sealed cartridge bearing	PF30 adapter ID:46mm w68/73mm	24/24mm
75	PT-6639	SHIMANO	R451	Sealed cartridge bearing	PF30 adapter ID:46mm w68/73mm	24/24mm
	PT-6639CB	SHIMANO	R451A	Ceramic bearing	PF30 adapter ID:46mm w68/73mm	24/24mm
76	PT-6637M	SRAM	R414	Sealed cartridge bearing	PF30 adapter ID:46mm w68/73mm	24/22mm
	PT-6637MCB	SRAM	R414A	Ceramic bearing	PF30 adapter ID:46mm w68/73mm	24/22mm
77	PT-6639M	SRAM	R414	Sealed cartridge bearing	PF30 adapter ID:46mm w68/73mm	24/22mm
	PT-6639MCB	SRAM	R414A	Ceramic bearing	PF30 adapter ID:46mm w68/73mm	24/22mm



BB30 ADAPTER

Page	Item Number	Compatible with	Bearing No.	Bearing Type	BB Type	Spindle OD.
78	PT-6632F	SHIMANO	R451	Sealed cartridge bearing	BB30 adapter ID:42mm w68/73mm	24/24mm
79	PT-6632D	SHIMANO	R414	Sealed cartridge bearing	BB30 adapter ID:42mm w68/73mm	24/24mm
80	PT-6632GM	SRAM	R451	Sealed cartridge bearing	BB30 adapter ID:42mm w68/73mm	24/22mm
81	PT-6632DM	SRAM	R414	Sealed cartridge bearing	BB30 adapter ID:42mm w68/73mm	24/22mm

BB86 / BB92

Page	Item Number	Compatible with	Bearing No.	Bearing Type	BB Type	Spindle OD.
82	PT-6624AT / 6624ATM (SRAM)	SHIMANO	R451	Sealed cartridge bearing	BB86/92 Pressfit for ROAD&MTB ID:41	24/24mm
83	PT-6624	SHIMANO	R414	Sealed cartridge bearing	BB86/92 Pressfit for ROAD&MTB	24/24mm
	PT-6623	SRAM	R414	Sealed cartridge bearing	BB86/92 Pressfit for ROAD&MTB	24/22mm
84	PT-6624D / PT-6623D	SHIMANO / SRAM	R414	Sealed cartridge bearing	BB86/92 Pressfit for ROAD&MTB	24/24mm
85	PT-6624P / PT-6623P	SHIMANO / SRAM	R414	Sealed cartridge bearing	BB86/92 Pressfit for ROAD&MTB	24/24mm

EXTERNAL BB

Page	Item Number	Compatible with	Bearing No.	Bearing Type	BB Type	Spindle OD.
86	PT-6628S	SHIMANO R60	R451	Sealed cartridge bearing	BSA 1.37" x 24T 68/73 for ROAD	24/24mm
87	PT-6629D	SHIMANO	R414	Sealed cartridge bearing	BSA 1.37" x 24T 68/73 for ROAD&MTB	24/24mm
88	PT-6630D	SRAM	R414	Sealed cartridge bearing	BSA 1.37" x 24T 68/73 for ROAD&MTB	24/22mm
89	PT-6628I	ITA 36mm x 24T	R414	Sealed cartridge bearing	ITA 36mm x 24T/70mm shell	24/24mm
90	PT-6621AH / PT-6621AHCB		R403	Sealed cartridge bearing	BSA 1.37 x 24T w68mm	
91	PT-6621A		R403	Sealed cartridge bearing	BSA 1.37 x 24T w68mm	

SQUARE COTTERLESS BB

Page	Item Number	Compatible with	Bearing No.	Bearing Type	BB Type	Spindle OD.
92	PT-6621		R403	Sealed cartridge bearing	BSA 1.37 x 24T w68mm	
93	PT-6622		R403	Sealed cartridge bearing	BSA 1.37 x 24T w68mm	




PT-6640


Eccentric BB/offset 5.5mm
Full set CNC machined alloy

Weight: 247g
Bearings: Sealed cartridge bearings
bb width 68/73 & PF 46mm frame for
Sram & Shimano cranksets anodized
color

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6640	R414	SUJ2
PT-6640CB	R414A	Ceramic



適用系統 SYSTEM	NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
SHIMANO	1	鋁墊圈 (ø35* ø24* 2.3) / SPACER	B620	AL6061	1PCS
	2	防水圈 / SEAL	A266	Nylon	2PCS
	3	6805 培林 / BEARING	-	-	2PCS
	4	6640 偏心右碗 / BEARING	B265	AL6061	1PCS
	5	鋁墊圈 (ø51* ø46.2* 2.5) / SPACER	B632	AL6061	1PCS
	6	偏心墊圈 / SPACER	B648	AL6061	1PCS
	6.1	固定銷 -Pin / PIN	H7601	AL6061	2PCS
	7	6640 偏心左碗 / BEARING	B264	AL6061	1PCS
	8	彈簧墊片 / SPRING WASHER	H2212	K7	1PCS
	9	鋁墊圈 (ø42* ø30.3* 2.5) / SPACER	B647	AL6061	1PCS
-	10	6640 鋁襯套 / BUSHING	B651	AL7075	1PCS
附 BB 說明書			B-36	-	1PCS





PT-6623PST




For SRAM DUB BB86/BB92
PF BB86/BB92 frame
Forged alloy & CNC machined cups
2 pcs Sealed cartridge bearings

Anodized color available
DUB bb system for 28.99mm spindle
L/R cups w/thread locking on design
Weight:115g



型號 MODEL NO.	零件料號 Item No.	材質 Material
PT-6623PST	R407	SUJ2
PT-6623PSTCB	R407A	Ceramic

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (ø35xø29.1x4.5) / SPACER	B650	AL6061	1PCS
2	鋁墊圈 (ø35xø29.1x2) / SPACER	B653	AL6061	1PCS
*3	鋁墊圈 (ø35xø29.1x1.0) / SPACER	B650-010	AL6061	1PCS
4	29 尼龍襯套 / BUSHING	B661	Nylon	2PCS
5	軸承 (ø39x6.5) / BEARING	-	-	2PCS
6	6623PST 右碗 / CUP	B285R	AL6061	1PCS
7	44 鋁墊圈 / SPACER	B613	AL6061	1PCS
8	6623PST 左碗 / CUP	B285L	AL6061	1PCS
	附 BB 說明書	B-56W	-	1PCS



BOTTOM BRACKETS

DUB BB SYSTEM FOR 29 SPINDEL





PRES-TINE



PT-6637PS

For SRAM DUB BB/PF30
compatible PF30 frame w68/73 ID 46mm
Forged alloy & CNC machined cups alloy shell w/double
o ring seal
Anodized color available
DUB bb system for 28.99mm spindle

型號 MODEL NO.	零件料號 Item No.	材質 Material
PT-6637PS	R433	SUJ2
PT-6637PSCB	R433A	Ceramic




NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (ø35xø29.1x4.5) / SPACER	B650	AL6061	1PCS
*2	鋁墊圈 (ø35xø29.1x2.5) / SPACER	B650-025	AL6061	1PCS
*3	鋁墊圈 (ø35xø29.1x3.0) / SPACER	B650-030	AL6061	1PCS
*4	鋁墊圈 (ø35xø29.1x5.5) / SPACER	B650-055	AL6061	1PCS
*5	29 尼龍襯套 / BUSHING	B659	NYLON	2PCS
6	6806 培林 / BEARING	-	-	2PCS
7	6637PS 碗 / CUP	B277	AL6061	2PCS
8	鋁墊圈 (ø51xø46.2x2.5) / SPACER	B632	AL6061	2PCS
9	6637 鋁中管 / SHELL	B579	AL6061	1PCS
9.1	O 型圈 / O-RING	A284	Rubber	2PCS
	附 BB 說明書	B-40W	-	1PCS




PT-6637PST

For SRAM DUB BB/PF30
compatible PF30 frame 68/73 ID 46mm
Forged alloy & CNC machined cups alloy shell w/double
o ring seal
Anodized color available
DUB bb system for 28.99mm spindle
L/R cups w/threaded locking on design
Weight:155g

型號 MODEL NO.	零件料號 Item No.	材質 Material
PT-6637PST	R433	SUJ2
PT-6637PSTCB	R433A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (ø35xø29.1x4.5) / SPACER	B650	AL6061	1PCS
*2	鋁墊圈 (ø35xø29.1x2.5) / SPACER	B650-025	AL6061	1PCS
*3	鋁墊圈 (ø35xø29.1x3.0) / SPACER	B650-030	AL6061	1PCS
*4	鋁墊圈 (ø35xø29.1x5.5) / SPACER	B650-055	AL6061	1PCS
*5	29 尼龍襯套 / BUSHING	B659	NYLON	2PCS
6	6806 培林 / BEARING	-	-	2PCS
*7	6637PST 右碗 / CUP	B284R	AL6061	1PCS
7.1	O 型圈 / O-RING	A284	Rubber	2PCS
8	鋁墊圈 (ø51xø46.2x2.5) / SPACER	B632	AL6061	2PCS
*9	6637PST 左碗 / CUP	B284L	AL6061	1PCS
	附 BB 說明書	B-55W	-	1PCS



BOTTOM BRACKETS

DUB BB SYSTEM FOR 29 SPINDEL





PRESTINE

PT-6632PS



For SRAM DUB BB/BB30
compatible BB 30 frame 68/73 ID 42mm
Forged alloy & CNC machined cups alloy shell
w/double o-ring seal
Anodized color available
DUB bb system for 28.99mm spindle

型號 MODEL NO.	零件料號 Item No.	材質 Material
PT-6632PS	R433	SUJ2
PT-6632PSCB	R433A	Ceramic




NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (ø35xø29.1x4.5) / SPACER	B650	AL6061	1PCS
*2	鋁墊圈 (ø35xø29.1x2.5) / SPACER	B650-025	AL6061	1PCS
*3	鋁墊圈 (ø35xø29.1x3.0) / SPACER	B650-030	AL6061	1PCS
*4	鋁墊圈 (ø35xø29.1x5.5) / SPACER	B650-055	AL6061	1PCS
5	29 尼龍襯套 / BUSHING	B659	Nylon	2PCS
6	6806 培林 / BEARING	-	-	2PCS
*7	6632PS 碗 / CUP	B276	AL6061	2PCS
8	42 鋁墊圈 / SPACER	B611	AL6061	2PCS
9	EX-5 中管 / SHELL	B572	AL6061	1PCS
9.1	O 型圈 / O-RING	A255	Rubber	2PCS
	附 BB 說明書	B-40W	-	1PCS




PT-6632PST

For SRAM DUB BB/BB30
compatible BB 30 frame 68/73 ID 42mm
Forged alloy & CNC machined cups alloy shell
w/double o-ring seal
weight:134g
Anodized color available
DUB bb system for 28.99mm spindle

型號 MODEL NO.	零件料號 Item No.	材質 Material
PT-6632PST	R433	SUJ2
PT-6632PSTCB	R433A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鉛墊圈 ($\phi 35 \times \phi 29.1 \times 4.5$) / SPACER	B650	AL6061	1PCS
*2	鉛墊圈 ($\phi 35 \times \phi 29.1 \times 2.5$) / SPACER	B650-025	AL6061	1PCS
*3	鉛墊圈 ($\phi 35 \times \phi 29.1 \times 3.0$) / SPACER	B650-030	AL6061	1PCS
*4	鉛墊圈 ($\phi 35 \times \phi 29.1 \times 5.5$) / SPACER	B650-055	AL6061	1PCS
*5	29 尼龍襯套 / BUSHING	B659	Nylon	2PCS
6	6806 培林 / BEARING	-	-	2PCS
*7	6632PST 右碗 / CUP	B283R	AL6061	1PCS
7.1	O 型圈 / O-RING	A255	Rubber	2PCS
8	42 鉛墊圈 / SPACER	B611	AL6061	2PCS
*9	6632PST 左碗 / CUP	B283L	AL6061	1PCS
	附 BB 說明書	B-55W	-	1PCS



BOTTOM BRACKETS

DUB BB SYSTEM FOR 29 SPINDEL



PRESTINE




PT-6635U



For SRAM DUB BB386
PF BB386 frame
Forged alloy & CNC machined cups
Alloy shell w/double o ring seals

2 pcs Sealed cartridge bearings
Anodized color available
DUB bb system for 28.99mm spindle

型號 MODEL NO.	零件料號 Item No.	材質 Material
PT-6635U	R433	SUJ2
PT-6635UCB	R433A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (ø35xø29.1x4.5) / SPACER	B650	AL6061	1PCS
2	鋁墊圈 (ø35xø29.1x2) / SPACER	B653	AL6061	1PCS
*3	鋁墊圈 (ø35xø29.1x1.0) / SPACER	B650-010	AL6061	1PCS
4	29 尼龍襯套 / BUSHING	B659	Nylon	2PCS
5	6806 培林 / BEARING	-	-	2PCS
6	6635U 鋁碗 / CUP	B290	AL6061	2PCS
7	鋁墊圈 (ø51xø46.2x2.5) / SPACER	B632	AL6061	1PCS
*8	6638 中管 / SHELL	B584	AL6061	1PCS
8.1	O 型圈 / O-RING	A297	Rubber	2PCS
	附 BB 說明書	B-42W	-	1PCS







PT-6635UT

For SRAM DUB BB386
PF BB386 frame
Forged alloy & CNC machined cups
2 pcs Sealed cartridge bearings

Anodized color available
DUB bb system for 28.99mm spindle
L/R cups w/thread locking on design

型號 MODEL NO.	零件料號 Item No.	材質 Material
PT-6635UT	R433	SUJ2
PT-6635UTCB	R433A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (ø35xø29.1x1.0) / SPACER	B650-010	AL6061	1PCS
2	鋁墊圈 (ø35xø29.1x2.5) / SPACER	B650-025	AL6061	1PCS
3	鋁墊圈 (ø35xø29.1x3.0) / SPACER	B650-030	AL6061	1PCS
4	鋁墊圈 (ø35xø29.1x4.5) / SPACER	B650	AL6061	1PCS
5	鋁墊圈 (ø35xø29.1x5.5) / SPACER	B650-055	AL6061	1PCS
6	29 尼龍襯套 / BUSHING	B659	Nylon	2PCS
7	6806 培林 / BEARING	-	-	2PCS
8	6623UT 右碗 / CUP	B290UT-R	AL6061	1PCS
9	鋁墊圈 (ø51xø46.2x2.5) / SPACER	B632	AL6061	1PCS
10	6623UT 左碗 / CUP	B290UT-L	AL6061	1PCS
附 BB 說明書		B-66W	-	1PCS

BOTTOM BRACKETS

DUB BB SYSTEM FOR 29 SPINDEL





PRESTINE

PT-6638PS

For SRAM DUB BB BSA
compatible BSA 1.37" x 24T frame
Forged alloy & CNC machined cups alloy shell w/double
o ring seal
Double sealed cartridge bearings
Anodized color available
DUB bb system for 28.99mm spindle
Weight:107g

型號 MODEL NO.	零件料號 Item No.	材質 Material
PT-6638PS	R433	SUJ2
PT-6638PSCB	R433A	Ceramic





NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (ø35xø29.1x4.5) / SPACER	B650	AL6061	1PCS
*2	鋁墊圈 (ø35xø29.1x2.5) / SPACER	B650-025	AL6061	1PCS
*3	鋁墊圈 (ø35xø29.1x3.0) / SPACER	B650-030	AL6061	1PCS
*4	鋁墊圈 (ø35xø29.1x5.5) / SPACER	B650-055	AL6061	1PCS
5	29 尼龍襯套 / BUSHING	B659	NYLON	2PCS
6	6806 培林 / BEARING	-	-	2PCS
7	6638PS 反牙碗 / CUP	B274	AL6061	1PCS
8	鋁墊圈 / SPACER	B608	AL6061	2PCS
9	6638 中管 / SHELL	B584	AL6061	1PCS
9.1	O 型圈 / O-RING	A297	Rubber	2PCS
10	6638PS 正牙碗 / CUP	B275	AL6061	1PCS
	附 BB 說明書	B-37W	-	1PCS




PT-6639FT

Internal Cable Routing System
T47 threaded BB for SHIMANO Ø24 spindle
M47 x P1.0 x BB
Double Sealed cartridge bearings
BB shell w86/89.5/92mm, small OD more space for cable routing




註:H2404華司，不須組立，出貨須附3PCS



型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6639FT	R414	SUJ2
PT-6639FTCB	R414B	Ceramic

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	防水圈 / SEAL	A266	Nylon	2PCS
2	6805 培林 / BEARING	-	-	2PCS
3	鋁墊圈 (ø50.3xø47.3x2.5) / SPACER	B660	AL6061	1PCS
4	6639FT 反牙碗 / CUP	B296	AL6061	1PCS
5	中管 / SHELL	B567-2	黑 PC	1PCS
5.1	O 型圈 / O-RING	A269	Rubber	2PCS
6	6639FT 正牙碗 / CUP	B297	AL6061	1PCS
7	華司 (Ø32* Ø24.5* 0.25) / WASHER	H2404	SUS430	3PCS
	附 BB 說明書	B-75	-	1PCS



BOTTOM BRACKETS

T47BB M47 x P1.0 THREADED




PRES-TINE


PT-6641T



Internal Cable Routing System
T47 threaded BB for SHIMANO Ø24 spindle
M47 x P1.0 x BB
Double Sealed cartridge bearings
BB shell w68/73mm, small OD more space for cable routing




註:H2404華司·不須組立·出貨須附3PCS



型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6641T	R414	SUJ2
PT-6641CB	R414A	Ceramic

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (ø35xø24x2.3) / SPACER	B620	AL6061	3PCS
2	防水圈 / SEAL	A266	Nylon	2PCS
3	培林 / BEARING	-	-	2PCS
4	6641T 反牙碗 / CUP	B294	AL6061	1PCS
5	6641T 正牙碗 / CUP	B2952	AL6061	1PCS
6	中管 / SHELL	B567-2	黑 PC	1PCS
6.1	O 型圈 / O-RING	A269	Rubber	2PCS
7	出貨必須附件 ※ 華司 I(ø32x24.5x2.5)	H2404	SUS430	3PCS
	附 BB 說明書	B-79	-	1PCS





PT-6639A

FOR SHIMANO / PF30A24

PF30A BB for 24mm spindle L/R cup 46mm/shell,
width 73mm


Double Sealed cartridge bearings

Compatible with Shimano groups



L/R cups w/thread lock on design

Weight: 149 g

Option: 6639AM compatible with SRAM groups.



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊片 / SPACER	B637	AL6061	2PCS
1.1	O 型圈 / O-RING	A296	Rubber	2PCS
2	培林 / BEARING	-	-	2PCS
3	6639 右碗 / CUP	B239	AL6061	1PCS
3.1	O 型圈 / O-RING	A284	Rubber	2PCS
4	6639A 左碗 / CUP	B240-1	AL6061	1PCS
5	華司 / WASHER	H2404	SUS430	3PCS
	附 BB 說明書	B-31	-	1PCS



BOTTOM BRACKETS

PF30A24/BB30A24/BSABB30/BB8630





PRESTINE




PT-6639FB

PF30A BB for 30mm spindle L/R cup 46mm,
shell width 73mm
Double Sealed cartridge bearings
L/R cups w/thread lock on design

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6637FB	R433	SUJ2
PT-6637FBCB	R433A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
*1	鋁墊圈 (ø42.2xø30.1x1.5) / SPACER	B663	AL6061	2PCS
2	6806 培林 / BEARING	-	-	2PCS
3	6639FB 右碗 / CUP	B239-2	AL6061	1PCS
3.1	O 型圈 / O-RING	A284	Rubber	2PCS
4	6639FB 左碗 / CUP	B240-2	AL6061	1PCS
5	彈簧墊片 / SPRING WASHER	H2211	K7	1PCS
6	(出貨必須附件)※ 白鐵墊圈 (40x30x0.5) / SPACER	H2305	SUS304	2PCS




註:H2305華司，不須組立，出貨須附2PCS




PT-6637AD

PF30A BB for 29mm spindle L/R cup 46mm/shell,
width 73mm
Double Sealed cartridge bearings
Compatible with SRAM DUB groups
L/R cups w/thread lock on design

型號 MODEL NO.	零件料號 Item No.	材質 Material
PT-6637AD	R433	SUJ2
PT-6637ADCB	R433A	Ceramic




Road_68/73L



Road Wide_73L

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
*1	鋁墊圈 (ø35xø29.1x5.5) / SPACER	B650-055	AL6061	1PCS
*2	鋁墊圈 (ø35xø29.1x2.5) / SPACER	B650-025	AL6061	1PCS
*3	鋁墊圈 (ø35xø29.1x3.0) / SPACER	B650-030	AL6061	1PCS
*4	29 尼龍襯套 / BUSHING	B659	Nylon	2PCS
5	6806 培林 / BEARING	-	-	2PCS
*6	6637PST 右碗 / CUP	B284R	AL6061	1PCS
6.1	O 型圈 / O-RING	A284	Rubber	2PCS
7	鋁墊圈 (ø51xø46.2x2.5) / SPACER	B632	AL6061	2PCS
*8	6637AD 左碗 / CUP	B287L	AL6061	1PCS
	附 BB 說明書	B-55	-	1PCS



BOTTOM BRACKETS

PF30A24/BB30A24/BSABB30/BB8630



PRES-TINE



PT-6632A For Shimano

PT-6632AM For SRAM

BB30A BB for 24mm spindle L/R 42mm OD & shell
width 73mm


Double Sealed cartridge bearings

Compatible with shimano groups


L/R cups w/threaded lock on design

Weight: 133g

Option: 6632AM compatible with SRAM groups.



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊片 / SPACER	B637	AL6061	2PCS
1.1	O 型圈 / O-RING	A296	Rubber	2PCS
2	培林 / BEARING	-	-	2PCS
3	6632F 右碗 / CUP-R	B247	AL6061	1PCS
3.1	O 型圈 / O-RING	A255	Rubber	2PCS
4	6632A 左碗 / CUP-L	B248-1	AL6061	1PCS
5	華司 / WASHER	H2404	SUS430	3PCS
	附 BB 說明書	B-31	-	1PCS




· H2404 華司，不需組立，
出貨需附 3PCS




PT-6637F

BB right for 24mm spindle
L/R cups OD 46mm & shell width 79mm
Double Sealed cartridge bearings
Compatible with shimano groups

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6637F	R414	SUJ2
PT-6637FCB	R414A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	防水圈 / SEAL	A266	NYLON	2PCS
2	培林 / BEARING	-	-	2PCS
3	6637 鋁碗 / UPPER CUP	B221	AL6061	1PCS
4	6637F 中管 (R) / SHELL	B582	AL6061	1PCS
4.1	O 型圈 / O-RING	A284	Rubber	2PCS
5	6637F 中管 (L) / SHELL	B583	AL6061	1PCS
5.1	O 型圈 / O-RING	A255	Rubber	1PCS
6	6637FM 鋁碗 / LOWER CUP	B252	AL6061	1PCS
7	彈簧墊片 / SPRING WASHER	H2212	K7	1PCS
	附 BB 說明書	B-18	-	1PCS



BOTTOM BRACKETS


PF30A24/BB30A24/BSABB30/BB8630



PRESTINE


PT-6637FT PT-6637FTCB

BB right for 24mm spindle
L/R cups OD 46mm & shell width 79mm
Double Sealed cartridge bearings
Compatible with shimano groups
6637FT L/R cups w/thread locking on design






60

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6637FT	R414	SUJ2
PT-6637FTCB	R414A	Ceramic



(工具面)




NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
*1	防水圈 / SEAL	A266	NYLON	2PCS
2	培林 / BEARING	-	-	2PCS
3	6637FT 右碗 / CUP	B291FT-R	AL6061	1PCS
4	6637FT 左碗 / CUP	B291FT-R	AL6061	1PCS
5	彈簧墊片 / SPRING WASHER	H2212	K7	1PCS
6	附 BB 說明書	B-63	-	1PCS




PT-6637FD

BB right for 29mm spindle
L/R cups OD 46mm & shell width 79mm
Double Sealed cartridge bearings
Compatible with SRAM DUB

型號 MODEL NO.	零件料號 Item No.	材質 Material
PT-6637FD	R433	SUJ2
PT-6637FDCB	R433A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (ø35xø29.1x3.0) / SPACER	B650-030	AL6061	1PCS
2	鋁墊圈 (ø35xø29.1x2.5) / SPACER	B650-025	AL6061	1PCS
3	鋁墊圈 (ø35xø29.1x5.5) / SPACER	B650-055	AL6061	1PCS
4	29 尼龍襯套 / BUSHING	B659	NYLON	2PCS
5	6806 培林 / BEARING	-	-	2PCS
6	6637PS 碗 / CUP	B277	AL6061	1PCS
7	6635D 中管 (R) / SHELL	B585	AL6061	1PCS
7.1	O 型圈 / O-RING	A284	Rubber	2PCS
8	6635D 中管 (L) / SHELL	B586	AL6061	1PCS
8.1	O 型圈 / O-RING	A255	Rubber	1PCS
*9	6637FD 鋁碗 / LOWER CUP	B288	AL6061	1PCS
	附 BB 說明書	B-61	-	1PCS




BOTTOM BRACKETS

PF30A24/BB30A24/BSABB30/BB8630






PRESTINE

PT-6637FDT PT-6637FDTCB




BB right for 29mm spindle
L/R cups OD 46mm & shell width 79mm
Double Sealed cartridge bearings
Compatible with SRAM DUB
6637FDT L/R cups w/thread locking on design

型號 MODEL NO.	零件料號 Item No.	材質 Material
PT-6637FDT	R433	SUJ2
PT-6637FDTCB	R433A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (ø35xø29.1x3.0) / SPACER	B650-030	AL6061	1PCS
2	鋁墊圈 (ø35xø29.1x2.5) / SPACER	B650-025	AL6061	1PCS
3	鋁墊圈 (ø35xø29.1x5.5) / SPACER	B650-055	AL6061	1PCS
4	29 尼龍襯套 / BUSHING	B659	NYLON	2PCS
5	6806 培林 / BEARING	-	-	2PCS
6	6637FDT 右碗 / CUP	B291FDT-R	AL6061	1PCS
7	6637FDT 左碗 / CUP	B291FDT-L	AL6061	1PCS
	附 BB 說明書	B-61	-	1PCS



62




ROAD

Road Wide




PT-6637FB

BB right for 30mm spindle
L/R cups OD 46mm & shell width 79mm
Double Sealed cartridge bearings
Compatible with 30mm EVO spindle
6637FDT L/R cups w/thread lock on design



型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6637FB	R433	SUJ2
PT-6637FBCB	R433A	Ceramic

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
*1	鋁墊圈 (ø42.2xø30.1x1.5) / SPACER	B663	AL6061	2PCS
2	6806 培林 / BEARING	-	-	2PCS
3	6637PS 碗 / CUP	B277	AL6061	1PCS
4	6635D 中管 (R) / SHELL	B585	AL6061	1PCS
4.1	O 型圈 / O-RING	A284	Rubber	2PCS
5	6635D 中管 (L) / SHELL	B586	AL6061	1PCS
5.1	O 型圈 / O-RING	A255	Rubber	1PCS
6	6637FD 鋁碗 / LOWER CUP	B288	AL6061	1PCS
7	彈簧墊片 / SPRING WASHER	H2211	K7	1PCS
8	出貨必須附件 ※ 白鐵墊圈	H2305	SUS304	2PCS



*H2305 華司，不需組立，
出貨需附 2PCS

BOTTOM BRACKETS

BB386/BB386 ADAPTER



PRES-TINE




PT-6638

PT-6638DCB ceramic bearing


BSA BB30

Forged alloy and CNC machined cups
Double sealed cartridge bearing (ø42 x 30 x 7)
BC 1.37" x 24T
Anodized
Compatible with B.B30 crank / BSA frames
Option / PT-6638CB ceramic bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6638D	R433	SUJ2
PT-6638DCB	R433A	Ceramic





NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	6638 鋁墊圈 (R) /SPACER	B640	AL6061	1PCS
2	6806 培林 /BEARING	-	-	2PCS
3	6638 反牙碗 /CUP	B224-2	AL6061	1PCS
4	鋁墊圈 /SPACER	B608	AL6061	2PCS
5	6638 中管 /SHELL	B584-1	AL6061	1PCS
5.1	O 型圈 /O-RING	A297	Rubber	2PCS
6	6624C 正牙碗 / SUP	B224-1	AL6061	1PCS
7	6638 鋁墊圈 (L) /SPACER	B629	AL6061	1PCS
8	彈簧墊片 /SPRING WASHER	H2211	K7	1PCS
9	※ 白鐵墊圈 (40* 30* 0.5) (出貨必須附件) /SPACER	H2305	SUS304	2PCS
	附 BB 說明書	B-48	-	1PCS






PT-6624B

BB8630
BB86/BB89/BB92 Frame/BB386 Crankset
(Spindel OD:30mm)
Frame ID:41 x w86.5/89.5/92mm
sealed cartridge bearings/double ball orbit bearings
Weight:77g



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊片 (ø38.2* ø30.1* 0.8) / SPACER	B644	AL6061	2PCS
2	軸承 41* 30 / SEALED BEAEING	R454	SUJ2	2PCS
3	44 鋁墊圈 / SPACER	B613	AL6061	1PCS
4	(出貨必須附件) ※ 白鐵墊圈 (40* 30* 0.5) / SPACER	H2305	SUS304	2PCS
	附 BB 說明書	B-44	-	1PCS



BOTTOM BRACKETS

BB386/BB386 ADAPTER



PRES-TINE





PT-6635T PT-6635TCB ceramic bearing







Pressfit BB 386/PF 30
L/R cup OD46mm
Double sealed cartridge bearings
CNC machined alloy cups
Anodized available
Weight: 115g
Option: 6635TCB ceramic bearings
BB386 frame (Ø46 x 86.5mm)
PF30 frame (Ø46 x 68/73mm)
Between L/R cups w/threaded
locking on design

	型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
③	PT-6635T	R433	SUJ2
	PT-6635TCB	R433A	Ceramic

MTB



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	36.5* 30* 2.5 鋁華司 / SWSHER	B622	AL6061	2PCS
2	6638 鋁墊圈 / SPACER	B629	AL6061	2PCS
3	6806 培林 / BEARING	-	-	2PCS
4	6635T 右碗 / CUP	B260	AL6061	1PCS
5	6635T 左碗 / CUP	B261	AL6061	1PCS
6	彈簧墊片 / SPRING WASHER	H2211	K7	1PCS
7	白鐵墊圈 (40* 30* 0.5)(出貨必須附件) / SPACER	H2305	SUS304	3PCS
	附 BB 說明書	B-20	-	1PCS



· H2305 華司，不需組立，
出貨需附 3PCS



PT-66350

PT-66350DCB ceramic bearing
BB 386

Pressfit BB386

L/R cup OD46mm


Double sealed cartridge bearings

BB386 frame (Ø46 x 86.5mm)


PF30 frame (Ø46 x 68/73mm)

6635DCB Ceramic Bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6635D	R433	SUJ2
PT-6635DCB	R433A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	36.5* 30* 2.5 鋁華司 / WASHER	B622	AL6061	2PCS
2	41* 30* 3 鋁墊片 / SPACER	B619	AL6061	2PCS
2.1	防水圈 / SEAL	A257	Rubber	2PCS
3	6806 培林 / BEARING	-	-	2PCS
4	6635 鋁碗 / CUP	B216	AL6061	2PCS
5	6635D 中管 (R) / SHELL	B585	AL6061	1PCS
5.1	O 型圈 / O-RING	A284	Rubber	2PCS
6	6635D 中管 (L) / SHELL	B586	AL6061	1PCS
6.1	O 型圈 / O-RING	A255	Rubber	1PCS
7	彈簧墊片 / SPRING WASHER	H2211	K7	1PCS
8	(出貨必須附件) 白鐵墊圈 (40* 30* 0.5) / SPACER	H2305	SUS304	3PCS
附 BB 說明書 ○ H2305 華司, 不需組立, 出貨需附 3PCS		B-20	-	1PCS



· H2305 華司, 不需組立,
出貨需附 3PCS

BOTTOM BRACKETS

BB386/BB386 ADAPTER



PRES-TINE




PT-6635AT for SHIMANO PT-6635ATM for SRAM







BB386 adapter for SHIMANO

CNC machined alloy cups L/R cups OD46mm
for BB386 frame
(Ø46 x 86.5mm width)
To fit SHIMANO cranksets
Weight:133g
Anodized available
*Center shell W/Threaded
locking on design

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6635AT	R451	SUJ2
PT-6635ATCB	R451A	Ceramic




NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鉛墊片 (ø37.5xø24.05x2.2) / SPACER	B637	AL6061	2PCS
1.1	O 型圈 / O-RING	A296	Rubber	2PCS
2	培林 / BEARING	-	-	2PCS
3	6635AT 右碗 / CUP	B256	AL6061	1PCS
3.1	O 型圈 / O-RING	A294	Rubber	2PCS
4	6635AT 左碗 / CUP	B257	AL6061	1PCS
5	華司 / WASHER	H2404	SUS430	1PCS
	附 BB 說明書	B-29	-	1PCS






PT-6635L BB386 adapter for SHIMANO

CNC machined alloy cups
L/R cup OD46mm
Adapts for BB386 frame (Ø46 x 86.5mm)
to fit SHIMANO cranksets
Compatible with Shimano groups
Anodized available



型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6635SL	R414	SUJ2
PT-6635SLCB	R414A	Ceramic

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	防水圈 / SEAL	A266	Nylon	2PCS
2	6805 培林 / BEARING	-	-	2PCS
3	6635SL 鋁碗 / CUP	B230	AL6061	2PCS
3.1	O 型圈 / O-RING	A284	Rubber	2PCS
4	中管 / SHELL	B567-2	黑 PC	1PCS
4.1	O 型圈 / O-RING	A269	Rubber	2PCS
	附 BB 說明書	B-25	-	1PCS



BOTTOM BRACKETS

BB386/BB386 ADAPTER




PRESTINE




PT-6635SM BB386 adapter for SHIMANO

L/R cup OD46mm
Adapts for BB386 frame (Ø46 x 86.5mm)
to fit SRAM cranksets
Compatible with SRAM groups
Anodized available




NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	彈簧墊片 SPRING WASHER	H2212	K7	1PCS
2	防水圈 SEAL	A266	Nylon	2PCS
3	6805 培林 / BEARING	R414	SUJ2	2PCS
4	6635SM 鋁碗	B231	AL6061	2PCS
4.1	O 型圈	A269	Rubber	2PCS
5	中管 SHELL	B567-2	黑 PC	1PCS
5.1	O 型圈 / O-RING	A269	Rubber	2PCS
6	6630 鋁襯套 BUSHING	B609	AL7075	1PCS
	附 BB 說明書	B-29	-	1PCS






PT-6635SA BB386 adapter for CAMPY

CNC machined alloy cups
L/R cup OD46mm
Adapts for BB386 frame (Ø46 x 86.5mm)
to fit CAMPY cranksets
Anodized available



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊片 / SPACER	B639	AL6061	2PCS
1.1	O 型圈 / O-RING	A296	Rubber	2PCS
2	6805 培林 / BEARING	R414	SUJ2	2PCS
3	6635SA 鋁碗 / CUP	B232	AL6061	2PCS
3.1	O 型圈 / O-RING	A284	Rubber	2PCS
	附 BB 說明書	B-17	-	1PCS



BOTTOM BRACKETS

PF30 / PF30 ADAPTER



PRESTINE







PT-6637A

PF 30BB for 30mm spindle
L/R cup OD46mm
Press Fit MTB/ Road
Double sealed cartridge bearings
R433 bearing 6806
OD:42 ID:30 T:7

MTB


ROAD



72

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6637A	R433	SUJ2
PT-6637ACB	R433A	Ceramic

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	36.5x30x2.5 鋁華司 / WASHER	B622	AL6061	3PCS
2	6637A 鋁襯套 / BUSHING	B657	AL6061	2PCS
3	6806 培林 / BEARING	-	-	2PCS
4	6637S 碗 / CUP	B269	AL6061	2PCS
5	6637 鋁中管	B579	AL6061	1PCS
5.1	O 型圈 / O-RING	A284	Rubber	2PCS
	附 BB 說明書	B-07	-	1PCS






PT-6637


PT-6637CB ceramic bearing PF30 adapter For SHIMANO

PF30BB for transform into BB24,
L/R cup OD46mm
Pressfit for MTB/ROAD
Double sealed cartridge bearings
(OD37mm x ID25mm x H7mm)
Compatible with Shimano groups
Option: 6637CB ceramic bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6637	R414	SUJ2
PT-6637CB	R414A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (Ø35* Ø24* 2.3) / SPACER	B620	AL6061	3PCS
2	防水圈 / SEAL	A266	Nylon	2PCS
3	6805 培林 / BEARING	-	-	2PCS
4	6637 鋁碗 / CUP	B221	AL6061	2PCS
5	6637 鋁中管 / SHELL	B579	AL6061	1PCS
5.1	O 型圈 / O-RING	A284	Rubber	2PCS
	附 BB 說明書	B-07		1PCS



BOTTOM BRACKETS

PF30 / PF30 ADAPTER




PRESTINE




PT-6637H PF30 adapter for SHIMANO

PF30BB for transform into BB24,
L/R cup OD46mm
Pressfit for MTB/ROAD
Double sealed cartridge bearings
(OD37mm x ID24 x H8mm)
Compatible with SHIMANO groups

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
③ PT-6637H	R444	SUJ2



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (Ø35* Ø24* 2.3) / SPACER	B620	AL6061	3PCS
2	鋁墊片 (Ø37.5* Ø24.05* 2.2) / SPACER	B637	AL6061	2PCS
2.1	O 型圈 / O-RING	A296	Rubber	2PCS
3	軸承 / SEALED BEARING	-	-	2PCS
4	6637H 鋁碗 / CUP	B235	AL6061	2PCS
5	6637 鋁中管 / SHELL	B579	AL6061	1PCS
5.1	O 型圈 / O-RING	A284	Rubber	2PCS
	附 BB 說明書	B-07		1PCS






PT-6639

PT-6639CB ceramic bearing



For SHIMANO

PF30BB frame for Shimano Ø24 crankset
L/R cup OD46mm
Pressfit for MTB/ROAD
Double sealed cartridge bearings
Compatible with SHIMANO groups
L/R cups w/threaded / center threaded locking on design
Option: 6639CB ceramic bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6639	R451	SUJ2
PT-6639CB	R451A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (Ø35* Ø24* 2.3) / SPACER	B620	AL6061	3PCS
2	鋁墊片 (Ø37.5* Ø24.05* 2.2) / SPACER	B637	AL6061	2PCS
2.1	O 型圈 / O-RING	A269	Rubber	2PCS
3	培林 / BEARING	-	-	2PCS
4	6639 右碗 / CUP	B239	AL6061	1PCS
4.1	O 型圈 / O-RING	A284	Rubber	2PCS
5	6639 左碗 / CUP	B240	AL6061	1PCS
6	華司 (Ø32* Ø24.5* 0.25)(出貨必須附件) / WASHER	H2404	SUS430	3PCS
	附 BB 說明書	B-21	-	1PCS




· H2404 華司, 不需組立,
出貨需附 3PCS




PT-6637 PT-6637MCB PF30 adapter for SRAM

PF30BB for transform into 22/24,
L/R cup OD46mm
Pressfit for MTB/ROAD
Double sealed cartridge bearings
(OD37mm x ID24 x H8mm)
Compatible with SRAM groups
Option: 6637MCB ceramic bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6637M	R414	SUJ2
PT-6637MCB	R414A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	彈簧墊片 / SPRING WASHER	H2212	K7	
2	防水圈 / SEAL	A266	Nylon	2PCS
3	6805 培林 / BEARING	-	-	2PCS
4	6637M 鋁碗 / CUP	B225	AL6061	2PCS
5	鋁墊圈 (Ø51* Ø46.2* 2.5) / SPACER	B632	AL6061	2PCS
6	6637 鋁中管 / SHELL	B579	AL6061	1PCS
6.1	O 型圈 / O-RING	A284	Rubber	2PCS
7	6630 鋁襯套 / BUSHING	B609	AL7075	1PCS
	附 BB 說明書	B-11	-	1PCS






PT-6639M


PT-6639MCB For SRAM

PF30BB for transform into 22/24, L/R cup OD46mm
Pressfit for MTB/ROAD
Double sealed cartridge bearings
Compatible with SRAM groups
6639MCB ceramic bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6639M	R414	SUJ2
PT-6639MCB	R414A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	彈簧墊片 / SPRING WASHER	H2212	K7	1PCS
2	防水圈 / SEAL	A266	Nylon	2PCS
3	6805 培林 / BEARING	-	-	2PCS
4	6639M 右碗 / CUP	B241	AL6061	1PCS
4.1	O 型圈 / O-RING	A284	Rubber	2PCS
5	鋁墊圈 (51* 46.2* 2.5) / SPACER	B632	AL6061	2PCS
6	6630 鋁襯套 / BUSHING	B609	AL7075	1PCS
7	6639M 左碗 / CUP	B242	AL6061	1PCS
	附 BB 說明書	B-22	-	1PCS



BOTTOM BRACKETS

BB 30 ADAPTER




PRES-TINE




PT-6632F BB30 Adapter for SHIMANO

BB30 frame ID42 for $\varnothing 24$ crankset L/R cup $\varnothing 42$ mm
w/seals cartridge bearings
Compatible with SHIMANO groups
Center shell w/Threaded locking on design

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6632F	R451	SUJ2
PT-6632FCB	R451A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 ($\varnothing 35 \times \varnothing 24 \times 2.3$) SPACER	B620	AL6061	3PCS
2	鋁墊片 ($\varnothing 37.5 \times \varnothing 24.05 \times 2.2$) SPACER	B637	AL6061	2PCS
2.1	O 型圈 / O-RING	A296	Rubber	2PCS
3	培林 / BEARING	-	-	2PCS
4	6632F 右碗 / CUP	B247	AL6061	1PCS
4.1	O 型圈 / O-RING	A255	Rubber	2PCS
5	6632F 左碗 / CUP	B248	AL6061	1PCS
6	華司 ($\varnothing 32 \times \varnothing 24.5 \times 0.25$) (出貨必須附件) / WASHER	H2404	SUS430	3PCS
	附 BB 說明書	B-21	-	1PCS






PT-6632D




CNC machined alloy cups
Alloy shell
Sealed cartridge bearings,
L/R cup OD42mm
BB30 for transform into BB24, Pressfit for MTB/ROAD
Compatible with shimano groups
Anodized available
PT-6632DCB ceramic bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6632D	R414	SUJ2
PT-6632DCB	R414A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊圈 (Ø35* Ø24* 2.3) / SPACER	B620	AL6061	3PCS
2	防水圈 / SEAL	A266	Nylon	2PCS
3	6805 培林 / BEARING	-	-	2PCS
4	6632 左碗 / CUP	B212	AL6061	2PCS
5	EX-5 中管 / SHELL	B572	AL6061	1PCS
5.1	O 型圈 / O-RING	A255	Rubber	2PCS
	附 BB 說明書	B-07	-	1PCS



BOTTOM BRACKETS

BB30 ADAPTER




PRES-TINE




PT-6632GM

BB 30 adpter for SRAM
BB 30 transform into BB24/22 L/R cup, for MTB/ROAD
w/seals cartridge bearings
Compatible with SRAM groups
Center Threaded lock on design

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6632GM	R451	SUJ2
PT-6632GMCB	R451A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	彈簧墊片 / SPRING WASHER	H2212	K7	1PCS
2	鋁墊片 / SPACER	B637	AL6061	2PCS
2.1	O 型圈 / O-RING	A296	Rubber	2PCS
3	培林 / BBEARING	R451	-	2PCS
4	6632FM 右碗 / CUP-R	B247-2	AL6061	1PCS
4.1	O 型圈 / O-RING	A255	Rubber	2PCS
5	42 鋁墊圈 / SPACER	B611	AL6061	2PCS
6	6632GM 左碗 / CUP-L	B248-3	AL6061	1PCS
7	鋁襯套 / BUSHING	B658	AL7075	1PCS
8	華司 / WASHER	H2404	SUS430	3PCS
附 BB 說明書		B-22	-	1PCS




· H2404 華司，不需組立，出貨需附 3PCS




PT-6632DM B30 Adapter for SRAM

CNC machined alloy cups
Alloy shell
L/R cup OD42mm
BB30 for transform into 24/24, Pressfit for MTB/ROAD
Compatible with shimano groups
Anodized available
PT-6632DMCB ceramic bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6632DM	R414	SUJ2
PT-6632DMCB	R414A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	彈簧墊片 / SPRING WASHER	H2212	K7	1PCS
2	防水圈 / SEAL	A266	Nylon	2PCS
3	6805 培林 / BEARING	-	-	2PCS
4	6632DM 鋁碗 / CUP	B228	AL6061	2PCS
5	42 鋁墊圈 / SPACER	B611	AL6061	2PCS
6	EX-5 中管 / SHELL	B572	AL6061	1PCS
6.1	O 型圈 / O-RING	A255	Rubber	2PCS
7	6630 鋁襯套 / BUSHING	B609	AL7075	1PCS
	附 BB 說明書	B-11	-	1PCS






PT-6624AT

PT-6624ATM BB86/92 for 24mm cranksets


CNC machined alloy cups
L/R cups OD41mm
Double Sealed cartridge bearing
BB86/92 Pressfit for ROAD/MTB(SHIMANO)
Weight: 113g
Anodized available
Center shell W/Threaded locking on design

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6624AT	R451	SUJ2
PT-6624ATCB	R451A	Ceramic



82

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊片 (Ø37.5* Ø24.05* 2.2) / SPACER	B637	AL6061	2PCS
1.1	O 型圈 / O-RING	A296	Rubber	2PCS
2	培林 / BEARING	-	-	2PCS
3	44 鋁墊圈 / SPACER	B613	AL6061	1PCS
4	6624AT 右碗 / CUP-R	B258	AL6061	1PCS
5	6624AT 左碗 / CUP-L	B259	AL6061	1PCS
6	華司 WASHER	H2404	SUS430	1PCS
	附 BB 說明書	B-30	-	1PCS






PT-6624 for SHIMANO

PT-6623 for SRAM


BB86/92 for 24mm cranksets

Forged alloy and CNC machined cups
Double sealed cartridge bearings
Plastic shell
BB86/92 Pressfit for ROAD/MTB(SHIMANO)
Anodized available
Option: PT-6624CB ceramic bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6624	R414	SUJ2
PT-6624CB	R414A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	防水圈 / SEAL	A266	Nylon	2PCS
2	6805 培林 / BEARING	-		2PCS
3	41 軸承碗 / CUP	B214-1	AL6061	2PCS
4	44 鋁墊圈 / SPACER	B613	AL6061	1PCS
5	中管 / SHELL	B567-2	黑 PC	1PCS
5.1	O 型圈 / O-RING	A269	Rubber	2PCS
	附 BB 說明書	B-03	-	1PCS



BOTTOM BRACKETS

BB86 / BB92



PRES-TINE




PT-6624D for SHIMANO


PT-6623D for SRAM

Forged alloy and CNC machined cups
Double sealed cartridge bearings
w/o shell
For BB86/92 Pressfit / SHIMANO system
Weight: 72g
Anodized available
Option: PT-6624CB ceramic bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6624D	R414	SUJ2
PT-6624DCB	R414A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	防水圈 / SEAL	A266	Nylon	2PCS
2	6805 培林 / BEARING	-	-	2PCS
3	6624D 鋁碗 / CUP	B227	AL6061	2PCS
3.1	O 型圈 / O-RING	A296	Rubber	2PCS
4	44 鋁墊圈 / SPACER	B613	AL6061	1PCS






PT-6624P for SHIMANO


PT-6623P for SRAM

Plastic cups
Double sealed cartridge bearings
Plastic shell
BB86/92 Press fit for SHIMANO (MTB/ROAD)
Weight:77g

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6624P	R414	SUJ2
PT-6624PCB	R414A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	防水圈 / SEAL	A266	Nylon	2PCS
2	6805 培林 / BEARING	-	-	2PCS
3	41 尼龍軸承碗 / CUP	B229	Nylon N6	2PCS
4	44 鋁墊圈 / SPACER	B613	AL6061	1PCS
5	中管 / SHELL	B567-2	黑 PC	1PCS
5.1	O 型圈 / O-RING	A269	Rubber	2PCS
	附 BB 說明書	B-03	-	1PCS



BOTTOM BRACKETS

BB86 / BB92



PRES-TINE



PT-6628S

For SHIMANO BB R60

Weight: 92g


compatible BC1.37" x 24T Frame Forged alloy&CNC

machined cups alloy shell w/double o-ring seals


Double sealed cartridge bearings

Anodized color

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6628S	R451	SUJ2
PT-6628SCB	R451A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	鋁墊片 / SPACER	B646	AL6061	2PCS
2	培林 / BEARING	-	-	2PCS
3	6628S 反牙碗 / CUP	B262	AL6061	1PCS
4	6628 中管 / SHELL	B559	AL6061	1PCS
4.1	O 型圈 / O-RING	A269	Rubber	2PCS
5	6628S 正牙碗 / CUP	B263	AL6061	1PCS







PT-6629D

BC 1.37" x 24T-68 and 73mm width
Plastic shell
Double Sealed cartridge Bearings
Anodized color available
Compatible with SHIMANO groups (MTB/ROAD)
Option: 6629DCB ceramic bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6629D	R414	SUJ2
PT-6629DCB	R414A	Ceramic



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	防水圈 / SEAL	A266	Nylon	2PCS
2	6805 培林 / BEARING	-	-	2PCS
3	6629 反牙碗 / CUP	B209-10	AL6061	1PCS
4	鋁墊圈 / SPACER	B608	AL6061	3PCS
5	中管 / SHELL	B567-2	黑 PC	1PCS
5.1	O 型圈 / O-RING	A269	Rubber	2PCS
6	6629 正牙碗 / CUP	B209-9	AL6061	1PCS
7	墊圈 (Ø41* Ø35* 1.0) / WASHER	B614	SUS	1PCS
8	墊圈 (Ø41* Ø35* 0.5) / WASHER	B615	SUS	1PCS
	附 BB 說明書	B-04	-	2PCS



BOTTOM BRACKETS

External BB




PRESTINE




PT-66300

BC 1.37" x 24T-68 and 73mm width
Plastic shell
Double Sealed cartridge Bearings
Anodized color available
Compatible with SRAM groups
(MTB/ROAD)
Option: PT-6630DCB ceramic bearings

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6630D	R414	SUJ2
PT-6630DCB	R414A	Ceramic




NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	彈簧墊片 / SPRING WASHER	H2212	K7	1PCS
2	防水圈 / SEAL	A266	Nylon	2PCS
3	6805 培林 / BEARING	-	-	2PCS
4	6631 反牙碗 / CUP	B209-12	AL6061	1PCS
5	鋁墊圈 / SPACER	B608	AL6061	2PCS
6	中管 / SHELL	B567-2	黑 PC	1PCS
6.1	O 型圈 / O-RING	A269	Rubber	2PCS
7	6630 鋁襯套 / BUSHING	B609	AL7075	1PCS
8	6631 正牙碗 / CUP	B209-11	AL6061	1PCS
	附 BB 說明書	B-05	-	1PCS






PT-6628I

ITA.36mmx24T-70mm shell
Double sealed cartridge bearings
Weight:108g



型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6628I	R414	SUJ2
PT-6628ICB	R414A	Ceramic

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	防水圈 / SEAL	A266	Nylon	2PCS
2	6805 培林 / BEARING	-	-	2PCS
3	6628I 牙碗 / CUP	B208-3	AL6061	2PCS
4	油封圈 / SEAL	A263	Nylon	1PCS
5	6628 中管 / SHELL	B559	AL6061	1PCS
5.1	O 型圈 / O-RING	A269	Rubber	2PCS





PT-6621AH PT-6621AHCB








2 pcs cartridge sealed bearings
BC 1.37 x 24T
Cold-forged Alloy cups / water seal
Alloy body
10B21 CNC machined hollow axle
Full set AL6061 CNC machined Alloy
Finish: Satin Nickel Axle w/anodized cups

型號 MODEL NO.	零件料號 Item No.	材質 MATERIAL
PT-6621AH	R403	SUJ2
PT-6621AHCB	R4	Ceramic

Bracket Width: 68

	L	107.5	110.5	113.5	116	119	122.5	124.5	127.5
C	20.5	20.5	23	25	27	28	29.5	30.5	

NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	6621 正牙碗 / CUP-L	B207-B	AL6061	1PCS
2	6621AH 通孔心軸	B6621AH	SCM415	1PCS
4	6621A 反牙碗 / CUP-R	B207-A	AL6061	1PCS
5	中套 / SHELL	B551	AL6061	1PCS
6	培林 / SEALED BEARING	-	-	2PCS






PT-6621A


2 pcs cartridge sealed bearings
BC 1.37 x 24T
Cold-forged Alloy cups / water seal
Alloy body
10B21 CNC machined axle
Full set AL6061 CNC machined Alloy

Bracket Width: 68

	L	107.5	110.5	113.5	116	119	122.5	124.5	127.5
C	20.5	20.5	23	25	27	28	29.5	30.5	



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	M8 外六角螺絲 / BLOT	B501	SCM	2PCS
2	6621A 正牙碗 / CUP-L	B207-B	AL6061	1PCS
3	B6621 心軸 / AXLE	B6621	10B21	1PCS
4	6621A 反牙碗 / CUP-R	B207-A	AL6061	1PCS
5	中套 / SHELL	B551	AL6061	1PCS
6	培林 / SEALED BEARING	R403	SUJ2	2PCS



SQUARE COTTERLESS BB





PRES TINE



PT-6621

2 pcs cartridge sealed bearings
BC 1.37 x 24T
Cold-forged Steel cups / water seal
Alloy body
10B21 CNC machined solid black axle

Bracket Width: 68									
L	103	107.5	110.5	113.5	116	119	122.5	124.5	127.5
C	18	20.5	20.5	23	25	27	28	29.5	30.5



NO.	零件名稱 ITME NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	螺絲 / BLOT	B501	SCM	2PCS
2	6621 正牙碗 / CUP-L	B302-1	1008	1PCS
3	B6621 心軸 / AXLE	B6621	10B21	1PCS
4	6621 反牙碗 / CUP-R	B202-1	1008	1PCS
5	中套 / SHELL	B551	AL6061	1PCS
6	培林 / SEALED BEARING	R403	SUJ2	2PCS




PT-6622

Threadless


Theadless cartridge type BB
Cartridge sealed bearings
Cold-forged steel cups/water seals
Steel shell
10B21 CNC machined solid black axle

Bracket Width: 68

	L	107.5	110.5	113.5	116	119	122.5	124.5	126.5	127.5
C	20.5	20.5	23	25	27	28	29.5	31.5	31.5	30.5



NO.	零件名稱 ITEM NAME	零件料號 ITEM NO.	材質 MATERIAL	數量 QTY
1	M8 外六角螺絲 / BLOT	B501	SCM	2PCS
2	6622 左碗 / CUP-L	B202-3	1008	1PCS
3	止滑墊片 / SPACER	B607	AL6061	2PCS
4	培林 / SEALED BEARING	R403	SUJ2	2PCS
5	B6622 心軸 / AXLE	B6622	10B21	2PCS
6	6622 右碗 / CUP-R	B202-2	1008	1PCS
7	6622 中套 / SHELL	B553	1008	1PCS



GO GREEN

Innovation
Growth
Sustainable



***PRES*TINE**
ACCESSORIES


PRESTINE



EXPANDERS

ACCESSORIES


PT-1726 series SUPER LIGHT EXPANDER



PAT. NO.
M666468 Taiwan

Application PAT. NO.
20 2024 107 099.2 Germany
202422694769.X China

1. For steerer options: ID: 22~23, ID 23.2~24.3
2. Light weight, full set made by Alloy.
3. Length option: L: 30mm, L: 55mm, L: 70mm, L: 95mm
4. Ribbed track design for the inner shell.
5. Separate point design for lower compression.
6. The point will move along the track when tightening, force will be move evenly, and prevent components stuck with each other.



- How to Use
1. Put expander into front fork, and tighten it with allen key.
 2. Tighten top cap on stem.
 3. For steerer IDø23.2~24.3

NO.	零件名稱 ITEM NAME	零件料 ITEM NO.	材質 MATERIAL	數量 QTY
1	塑膠塞 / PLASTIC PLUG	L1101	Rubber	1PCS
2	M6x1.0x30L 螺絲 / BOLT	-	SCM	1PCS
3	1 1/8" 鋁頂 / TOP CAP	-	AL6061	1PCS
4	上壓 / UPPER COMPRESSION	L2110	AL6061	1PCS
5	中空螺絲 / HOLLOW SCREW	-	AL6061	2PCS
6	白鐵華司 (ø14xø10.5x0.3) / WASHER	H2213	SUS304	1PCS
7	中套 / SHELL	-	AL6061	2PCS
8	雙凸下壓 / LOWER COMPRESSION	L3110	AL6061	2PCS



MODEL NO.				② BOLT		③ TOP CAP		①	
L: 30mm	L: 55mm	L: 70mm	L: 95mm	零件料號 Item No.	材質 Material	零件料號 Item No.	材質 Material	塑膠塞 Plastic Plug	CAP
PT-1726	PT-1726L	PT-1726H	PT-1726HL	L1002	SCM	L5101		AL6061	 Alloy Cap
PT-1726A	PT-1726LA	PT-1726HA	PT-1726HLA	L1059	AL2024	L5104A-1		AL6061	 Super Light Cap
PT-1726C	PT-1726LC	PT-1726HC	PT-1726HLC	L1057	SCM	L5104A-1		AL6061	 Super Light Cap
PT-1726D	PT-1726LD	PT-1726HD	PT-1726HLD	L1057	SCM	L5107		AL6061	 Alloy Light Cap
PT-1726F	PT-1726LF	PT-1726HF	PT-1726HLF	L1057	SCM	L5114-1		AL6061	 Flat Cap
PT-1726G	PT-1726LG	PT-1726HG	PT-1726HLG	L1057	SCM	L5114-2		AL6061	 Flat Cap
PT-1726K	PT-1726LK	PT-1726HK	PT-1726HLK	L1057	SCM	L5304		AL6061	 Flat Cap
PT-1726CF	PT-1726LCF	PT-1726HCF	PT-1726HLCF	L1055	SUS	L5102		Carbon	 Full Carbon Cap

ACCESSORIES

EXPANDERS



PT-1727 series SUPER LIGHT EXPANDER



How to Use

1. Put expander into front fork, and tighten it with allen key.
2. Tighten top cap on stem.

PAT. NO.
M666468 Taiwan

Application PAT. NO.
20 2024 107 099.2 Germany
202422694769.X China

1. Available for ID 22~25 range.
2. Light weight, full set made by Alloy.
3. 3 piece design for better tighten force.
4. Lenght option: L: 30mm, L: 55mm, L: 70mm, L: 95mm
5. Ribbed track design for the inner shell.
6. Seperate point design for lower compression.
7. The point will move along the track when tightening, force will be move evenly, and prevent components stuck with each other.

96

NO.	零件名稱 ITEM NAME	零件料 ITEM NO.	材質 MATERIAL	數量 QTY
1	塑膠塞 / PLACTIC PLUG	L1101	Rubber	1PCS
2	M6x1.0x30L 螺絲 / BOLT	-	SCM	1PCS
3	1 1/8" 鋁頂 / TOP CAP	-	AL6061	1PCS
4	上壓 / UPPER COMPRESSION	L2110	AL6061	1PCS
4	中空螺絲 M6x1.0 / HOLLOW BOLT	-	AL6061	1PCS
5	白鐵華司 (ø14xø10.5x0.3) / WASHER	H2213	SUS304	1PCS
7	中套 / SHELL	-	AL6061	2PCS
7.1	彈簧片圈 / SPRING	A299	SUS301	2PCS
8	3 凸下壓 / LOWER COMPRESSION	L3111	AL6061	1PCS


MODEL NO.				② BOLT		③ TOP CAP		①	
L: 30mm	L: 55mm	L: 70mm	L: 95mm	零件料號 Item No.	材質 Material	零件料號 Item No.	材質 Material	塑膠塞 Plastic Plug	CAP
PT-1727	PT-1727L	PT-1727H	PT-1727HL	L1002	SCM	L5101	 AL6061	 Alloy Cap	
PT-1727A	PT-1727LA	PT-1727HA	PT-1727HLA	L1059	AL2024	L5104A-1	 AL6061	 Super Light Cap	
PT-1727C	PT-1727LC	PT-1727HC	PT-1727HLC	L1057	SCM	L5104A-1	 AL6061	 Super Light Cap	
PT-1727D	PT-1727LD	PT-1727HD	PT-1727HLD	L1057	SCM	L5107	 AL6061	 Alloy Light Cap	
PT-1727F	PT-1727LF	PT-1727HF	PT-1727HLF	L1057	SCM	L5114-1	 AL6061	 Flat Cap	
PT-1727G	PT-1727LG	PT-1727HG	PT-1727HLG	L1057	SCM	L5114-2	 AL6061	 Flat Cap	
PT-1727K	PT-1727LK	PT-1727HK	PT-1727HLK	L1057	SCM	L5304	 AL6061	 Flat Cap	
PT-1727CF	PT-1727LCF	PT-1727HCF	PT-1727HLCF	L1055	SUS	L5102	 Carbon	 Full Carbon Cap	



ACCESSORIES

PT-1708 series

SUPER LIGHT EXPANDER



PAT. NO.

M558751
202017105932
ZL201721090275.4


Taiwan
Germany
China



50 mm
29g

65 mm
36g

90 mm
47g



How to Use

1. Put expander into front fork, and tighten it with allen key.
2. Tighten top cap on stem.

1. Available for ID 22~25 range.
2. Light weight, full set made by Alloy.
3. 3 piece design for better tighten force.
4. Length option: L: 50mm, L: 65mm, L: 90mm
5. Appearance by cross lines, or better tighten force.
6. 3 separate point design for upper compression and lower compression, the compression force will be move evenly.

NO.	零件名稱 ITEM NAME	零件料 ITEM NO.	材質 MATERIAL	數量 QTY
1	塑膠塞 / PLASTIC PLUG	L1101	Rubber	1PCS
2	M6x1.0x30L 螺絲 / BOLT	-	-	1PCS
3	1 1/8" 鋁頂 / TOP CAP	-	-	1PCS
4	M10x1.5 中空螺絲 M6x1.0 / HOLLOW BOLT	L1052	AL6061	1PCS
5	白鐵華司 (ø14xø10.5x0.3) / WASHER	H2213	SUS304	1PCS
6	三凸上壓 / UPPER COMPRESSION	L2105-1	AL6061	1PCS
7	中套 / SHELL	L4124-1	AL6061	2PCS
7.1	彈簧片圈 / SPRING	A299	SUS301	2PCS
8	3 凸下壓 / LOWER COMPRESSION	L3107	AL6061	1PCS

MODEL NO.			② BOLT		③ TOP CAP		①	
L: 50mm	L: 65mm	L: 90mm	零件料號 Item No.	材質 Material	零件料號 Item No.	材質 Material	塑膠塞 Plastic Plug	CAP
PT-1708	PT-1708H	PT-1708HL	L1002	SCM	L5101	S	◎	Alloy Cap
PT-1708A	PT-1708HA	PT-1708HLA	L1059	AL2024	L5104A-1	AL6061	◎	Super Light Cap
PT-1708C	PT-1708HC	PT-1708HLC	L1057	SCM	L5104A-1	AL6061	◎	Super Light Cap
PT-1708D	PT-1708HD	PT-1708HLD	L1057	SCM	L5107	AL6061	◎	Alloy Light Cap
PT-1708F	PT-1708HF	PT-1708HLF	L1057	SCM	L5114-1	AL6061	◎	Flat Cap
PT-1708G	PT-1708GF	PT-1708HLG	L1057	SCM	L5114-2	AL6061	◎	Flat Cap
PT-1708CF	PT-1708HCF	PT-1708HLCF	L1055	SUS	L5102	Carbon	-	Full Carbon Cap


ACCESSORIES

EXPANDERS SERIES




PRESTINE


PT-1722 series



10Nm



鐫刻No.= 000-802-014





How to Use

1. Put expander into front fork, and tighten it with allen key.
2. Tighten top cap on stem.
3. For steerer ID ϕ 23.2~24.3

98


NO.	零件名稱 ITEM NAME	零件料 ITEM NO.	材質 MATERIAL	數量 QTY
1	塑膠塞 / PLASTIC PLUG	L1101	Rubber	1PCS
2	M6x1.0x30L 螺絲 / BOLT	-	-	1PCS
3	1 1/8" 鋁頂 / TOP CAP	-	-	1PCS
4	M10 中空螺絲 M6(加長型) / HOLLOW BOLT	L1052	AL6061	1PCS
5	白鐵華司 (ø14xø10.5x0.3) / WASHER	H2213	SUS304	1PCS
6	鋁上壓 10Nm / UPPER COMPRESSION	L2102	AL6061	1PCS
7	中套 / SHELL	L4131-2	AL6061	1PCS
8	鋁下壓 / LOWER COMPRESSION	L3102	AL6061	1PCS

MODEL NO.				② BOLT		③ TOP CAP		①	
L: 25 mm	L: 50mm	L: 65mm	L: 90mm	零件 料號 Item No.	材質 Material	零件料號 Item No.	材質 Material	塑膠塞 Plastic Plug	CAP
PT-1722	PT-1722L	PT-1722H	PT-1722HL	L1002	SCM	L5101		AL6061	Alloy Cap
PT-1722A	PT-1722LA	PT-1722HA	PT-1722HLA	L1059	AL2024	L5104A-1		AL6061	Super Light Cap
PT-1722C	PT-1722LC	PT-1722HC	PT-1722HLC	L1057	SCM	L5104A-1		AL6061	Super Light Cap
PT-1722D	PT-1722LD	PT-1722HD	PT-1722HLD	L1057	SCM	L5107		AL6061	Alloy Light Cap
PT-1722F	PT-1722LF	PT-1722HF	PT-1722HLF	L1057	SCM	L5114-1		AL6061	Flat Cap
PT-1722G	PT-1722LG	PT-1722HG	PT-1722HLG	L1057	SCM	L5114-2		AL6061	Flat Cap
PT-1722CF	PT-1722LCF	PT-1722HCF	PT-1722HLCF	L1055	SUS	L5102		Carbon	Full Carbon Cap
PT-1722S	PT-1722LS	PT-1722HS	PT-1722HLS	L1055	SUS	L5114-2		AL6061	Flat Cap

PRESTINE**ACCESSORIES****EXPANDERS SERIES****PT-1724**

1. Available for steerer ID 22~25 range.
2. Light weight 36g full set made by Alloy.
3. 3 piece design for better tighten force.
4. Length L:40mm
5. It can be tightened the expander in one step.


NO.	零件名稱 ITEM NAME	零件料 ITEM NO.	材質 MATERIAL	數量 QTY
1	塑膠塞 / RUBBER	H8404	PVC	1PCS
2	1 1/8" 鋁頂 / TOP CAP	L5203	AL6061	1PCS
3	鋁上壓 / UPPER COMPRESSION	L2108	AL6061	1PCS
4	中套 / SHELL	L435-1	AL6061	1PCS
4.1	彈簧片圈 / SPRING	A299	SUS301	1PCS
5	鋁墊圈 / WASHER	H2221	AL6061	1PCS
6	鋁下壓 / LOWER COMPRESSION	L3109	AL6061	1PCS
7	M6 x 1.0 x 30L 螺絲 / BLOT	L1002	SCM	1PCS

TENSION ADJUSTER**PT-1701K**

Cap1 1 1/8" flat cap /steel
socket head cap bolt with
rubber top plug.
double star nut.

Weight 24g

Finish Anodized

PT-1710G

Cap1 1 1/8" flat cap /steel
socket countersunk bolt
with rubber top plug.
double star nut.

Weight 22.2g

Finish Anodized

PT-1712SCF

Cap1 1 1/8" carbon looking
design top cap, with Alloy
bolt and steel-alloy double
star nut.

Weight 16.5g

Finish Anodized

Lite

ACCESSORIES

BEARINGS


PRESTINE

SPACER



PT-67A

ALLOY 28.6x3mm
28.6x5mm
28.6x8mm
28.6x10mm
28.6x15mm
28.6x20mm



PT-67C


CARBON 28.6x5mm
28.6x10mm
28.6x15mm
28.6x20mm



PT-67UD

UD CABON 28.6x5mm
28.6x10mm
28.6x15mm
28.6x20mm

BEARINGS



R401



R403



R407



R408 / R408A



R408B



R409



R411



R411B



R412



R413 / R413B



R414 / R414A



R415



R418



R418B



R422



R424



R424B



R425



R425B



R426S/R426



R427



R429



R430



R431



R432



R433



PRESTINE**BEARINGS****ACCESSORIES**

R401	Sealed AC Bearing (OD:41 x ID:30.1 x H:6.5 x A:36°)	R430	Cartridge Ball Bearing (OD:41.8 x ID:30.5 x H:7.7 x A:45°)
R403	Sealed Cartridge Bearing (OD:31 x ID:16 x H:10)	R431	Cartridge Ball Bearing (OD:41 x ID:30.5 x H:7.7 x A:45°)
R407	Sealed Cartridge Bearing (OD:39 x ID:30.2 x H:6.5)	R432	Sealed AC Bearing (OD:38 x ID:27.1 x H:6.5 x A:45°)
R408	Sealed AC Bearing (OD:41 x ID:30.1 x H:6.5 x A:45°)	R433	Sealed Cartridge Bearing (OD:42 x ID:30 x H:7)
R408A	Sealed AC Ceramic Bearing (OD:41 x ID:30.1 x H:6.5 x A:45°)	R433A	Sealed Cartridge Ceramic Bearing (OD:42 x ID:30 x H:7)
R408B	Sealed AC Bearing (OD:41 x ID:30.1 x H:6.5 x A:45°) w/High-heat Blackening	R437	Sealed AC Bearing (OD:52 x ID:40 x H:8 x A:45°) Double seal
R409	Sealed Cartridge Bearing (OD:31 x ID:21.5 x H:7)	R438S	Stainless Sealed AC Bearing (OD:51.8 x ID:40 x H:8 x A:36°) Stainless steel
R411	Sealed AC Bearing (OD:39 x ID:30.1 x H:6.5 x A:45°)	R438	Stainless Sealed AC Bearing (OD:51.8 x ID:40 x H:8 x A:36°)
R411B	Sealed AC Bearing (OD:39 x ID:30.1 x H:6.5 x A:45°) w/High-heat Blackening	R443	Sealed AC Bearing (OD:41.8 x ID:32.7 x H:6 x A:45°)
R412	Sealed AC Bearing (OD:41.8 x ID:30.1 x H:6.5 x A:45°)	R446A	Sealed AC Bearing (OD:41.8 x ID:30.15 x H:8.4 x A:45°)
R413/R413B	Sealed AC Bearing (OD:52 x ID:40 x H:7 x A:45°) R413B w/High-heat Blackening	R447A	Sealed AC Bearing (OD:51.8 x ID:40 x H:8 x A:45°)
R414	Sealed Cartridge Bearing (OD:37 x ID:25 x H:7)	R448B	Sealed AC Bearing (OD:49 x ID:40 x H:6 x A:45°) w/Blackening
R414A	Sealed Cartridge Ceramic Bearing (OD:37 x ID:25 x H:7)	R449	Sealed AC Bearing (OD:41.8 x ID:30.5 x H:8 x A:36°)
R415	Needle Bearing (OD:41.7 x ID:30.1 x H:9 x A:45°)	R450	Sealed Cartridge Bearing (OD:30 x ID:17 x H:7)
R418	Sealed AC Bearing (OD:41.8 x ID:30.5 x H:8 x A:45°)	R451	Sealed Cartridge Bearing (OD:37 x ID:24 x H:7)
R418B	Sealed AC Bearing (OD:41.8 x ID:30.5 x H:8 x A:45°) w/High-heat Blackening	R451A	Sealed Cartridge Ceramic Bearing (OD:37 x ID:24 x H:7) w/High-heat Blackening
R418T	Sealed AC Bearing (OD:41.8 x ID:30.5 x H:8 x A:45°) Titanium plating	R454	Sealed Cartridge Double Ball orbit Bearing (OD:41 x ID:30 x H:11.2)
R422	Sealed Cartridge Bearing (OD:31 x ID:21.5 x H:14)	R457B	Sealed AC Bearing (OD:52 x ID:42 x H:7 x A:45°) for 1.5"
R424	Sealed AC Bearing (OD:46.9 x ID:34.1 x H:7 x A:45°)	R457T	Sealed AC Bearing (OD:52 x ID:42 x H:7 x A:45°) for 1.5" Titanium plating
R424B	Sealed AC Bearing (OD:46.9 x ID:34.1 x H:7 x A:45°) w/High-heat Blackening	R458B	Sealed AC Bearing (OD:61.9 x ID:50 x H:8 x A:45°) for 1.8"
R425	Sealed AC Bearing (OD:51.8 x ID:40 x H:8 x A:45°)	R461	Sealed AC Bearing (OD:49.5 x ID:40.5 x H:6.5 x A:45°) w/High-heat Blackening
R425B	Sealed AC Bearing (OD:51.8 x ID:40 x H:8 x A:45°) w/High-heat Blackening	R462	Sealed AC Bearing (OD:44 x ID:38 x H:5.5 x A:36° / 45°)
R426S	Stainless Sealed AC Bearing (OD:52 x ID:40 x H:7 x A:36°) Stainless steel	R465B	Sealed AC Bearing (OD:51.8 x ID:40 x H:7 x 45° / 45°) w/High-heat Blackening
R426	Sealed AC Bearing (OD:52 x ID:40 x H:7 x A:36°)	R466A	Sealed AC Bearing (OD:51.8 x ID:40 x H:8 x 36°)
R427	Sealed AC Bearing (OD:38 x ID:27.1 x H:6.5 x A:36°)	R468	Sealed AC Bearing (OD:61.9 x ID:50 x H:8 x 36°)
R429	Sealed AC Bearing (OD:49 x ID:37 x H:7 x A:36°)	R469B	Sealed AC Bearing (OD:52 x ID:42 x H:7 x 36°) w/High-heat Blackening

ACCESSORIES

MICRO SPACER






PRESTINE

PT-67M

1-1/8" micro spacer, T: 0.25mm, ID: 28.6mm

1-1/8" fork steerer

Minor adjustable for space between Upper Head tube & Headset top cover



02

PT-67B

MICRO SPACER / T: 0.25mm
 ID: 30.2mm, for 1-1/8" Crown race / fork bottom
 ID: 33.2mm, for 1-1/4" Crown race / fork bottom
 ID: 40mm, for 1.5" Crown race / fork bottom

Minor adjustable for space between bottom head tube & fork crown.

STEEL/ T: 0.25mm

2025

01 JAN

Su	Mo	Tu	We	Th	Fr	Sa
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

02 FEB

Su	Mo	Tu	We	Th	Fr	Sa
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	

03 MAR

Su	Mo	Tu	We	Th	Fr	Sa
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					



Taipei Cycle Show
2025/03/26 - 2025/03/29
Taipei, Taiwan

04 APR

Su	Mo	Tu	We	Th	Fr	Sa
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30			



SEA OTTER CLASSIC
2025/04/10 - 2025/04/13
California, U.S.A.

CYCLE MODE TOKYO
2025/04/19 - 2025/04/20
Tokyo, Japan

05 MAY

Su	Mo	Tu	We	Th	Fr	Sa
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31



Asiabike Jakarta
2025/04/29 - 2025/05/04
Jakarta, Indonesia

The China Int'l Bicycle Fair
2025/05/05 - 2025/05/08
Shanghai, China

06 JUN

Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					



EUROBIKE
2025/06/25 - 2025/06/29
Frankfurt, Germany

07 JUL

Su	Mo	Tu	We	Th	Fr	Sa
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		



Pro Days
2025/07/06 - 2025/07/08
Paris, France

08 AUG

Su	Mo	Tu	We	Th	Fr	Sa
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

09 SEP

Su	Mo	Tu	We	Th	Fr	Sa
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				



Taichung Bike Week
2025/09/16 - 2025/09/19
Taichung, Taiwan

10 OCT

Su	Mo	Tu	We	Th	Fr	Sa
		1	2	3	4	
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

11 NOV

Su	Mo	Tu	We	Th	Fr	Sa
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

12 DEC

Su	Mo	Tu	We	Th	Fr	Sa
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		